

Compliance Designs

CLIENT: Carpathian Springs SA
33 Republicii Str, Vata Dornei
Suceava, Romania

DATE OF REPORT: Quarter 4, 2014
REPORT #: 987-005
LABORATORY ID#: 509473, 30134765

NOTE: "±" indicates that maximum levels have been exceeded, or in the case of pH, is either too high or too low
"ND" indicates that none of this analyte has been detected at or above the specified detection level
"MCL" indicates maximum contaminant level as established by NYSHD for bottled water
"RL" indicates laboratory reporting limit for method
Units results are reported in mg/L unless other wise noted

ANALYSIS PERFORMED	MCL ¹ (mg/L)	RL (mg/L)	STILL MINERAL FINISHED PRODUCT (Produced from Bajenaru Still Mineral Well) 987-005 (mg/L)
Primary Inorganics			
Antimony	--	0.001	ND
Arsenic	0.05	0.002	ND
Barium	1	0.002	0.0075
Cadmium	0.01	0.0005	ND
Chromium	0.05	0.01	ND
Fluoride	2.2	0.05	0.060
Lead	0.05	0.0005	ND
Mercury	0.002	0.0002	ND
Nickel	--	0.005	ND
Nitrogen, Nitrate	10	0.1	0.15
Nitrogen, Nitrite	--	0.05	ND
Nitrogen - NO3/NO2 (NOX)	10	0.1	0.15
Selenium	0.01	0.005	ND
Secondary Inorganics			
Alkalinity	--	2	180
Bicarb. Alkalinity	--	2	220
Calcium	--	1	52
Chloride	250	0.5	ND
Copper	1	0.002	ND
Corrosivity	--	-14	0.77
Hardness, Total	--	3	200
Iron	0.3	0.02	ND
Magnesium	--	0.1	17
Manganese	0.3	0.002	ND
pH	--	0.1	8.2
Silver	0.05	0.0005	ND
Sodium	--	1	ND
Sulfate	250	0.5	6.0
TDS	--	10	200
Zinc	5	0.02	ND
Physical			
Color	--	3	ND
Odor	--	1	ND
Turbidity	--	0.05	ND
Radiologicals			
Gross Alpha	15 pCi/L	2.13	ND
Gross Beta	50 pCi/L ²	1.30	ND
Radium 226/228	5 pCi/L	0.669 / 0.676	ND / ND

ANALYSIS PERFORMED	MCL (mg/L)	RL (mg/L)	STILL MINERAL FINISHED PRODUCT (Produced from Bajenaru Still Mineral Well) 987-005 (mg/L)
Volatile Organic Compounds			
EPA 524.2:			
Total Trihalomethanes	0.1	0.0005	ND
tert-Amyl Methyl Ether (TAME)	--	0.003	ND
tert-Butyl-Ethyl Ether (TBEE)	--	0.003	ND
Benzene	0.005	0.0005	ND
Bromobenzene	0.005	0.0005	ND
Bromochloromethane	0.005	0.0005	ND
Bromodichloromethane	--	0.0005	ND
Bromoform	--	0.0005	ND
Bromomethane	0.005	0.0005	ND
n-Butylbenzene	0.005	0.0005	ND
sec-Butylbenzene	0.005	0.0005	ND
tert-Butylbenzene	0.005	0.0005	ND
Carbon Disulfide	--	0.0005	ND
Carbon Tetrachloride	0.005	0.0005	ND
Chlorobenzene	0.005	0.0005	ND
Chloroethane	0.005	0.0005	ND
Chloroform	--	0.0005	ND
Chloromethane	0.005	0.0005	ND
2-Chlorotoluene	0.005	0.0005	ND
4-Chlorotoluene	0.005	0.0005	ND
Chlorodibromomethane	--	0.0005	ND
Dibromomethane	0.005	0.0005	ND
1,2-Dichlorobenzene	0.005	0.0005	ND
1,3-Dichlorobenzene	--	0.0005	ND
1,4-Dichlorobenzene	0.005	0.0005	ND
Dichlorodifluoromethane	0.005	0.0005	ND
1,1-Dichloroethane	0.005	0.0005	ND
1,2-Dichloroethane	0.005	0.0005	ND
1,1-Dichloroethylene	0.005	0.0005	ND
cis-1,2-Dichloroethylene	0.005	0.0005	ND
trans-1,2-Dichloroethylene	0.005	0.0005	ND
1,2-Dichloropropane	0.005	0.0005	ND
1,3-Dichloropropane	0.005	0.0005	ND
2,2-Dichloropropane	0.005	0.0005	ND
1,1-Dichloropropene	0.005	0.0005	ND
cis-1,3-Dichloropropene	0.005	0.0005	ND
trans-1,3-Dichloropropene	0.005	0.0005	ND
Di-Isopropyl Ether	--	0.003	ND
Ethylbenzene	0.005	0.0005	ND
Hexachlorobutadiene	0.005	0.0005	ND
Isopropylbenzene	0.005	0.0005	ND
4-Isopropyltoluene	0.005	0.0005	ND
4-Methyl-2-Pentanone (MIBK)	--	0.005	ND
Methyl tert-Butyl Ether (MTBE)	--	0.0005	ND
Methyl Ethyl Ketone (MEK)	--	0.005	ND
Methylene Chloride	0.005	0.0005	0.00088
Naphthalene	--	0.0005	ND
n-Propylbenzene	0.005	0.0005	ND
Styrene	0.005	0.0005	ND
1,1,1,2-Tetrachloroethane	0.005	0.0005	ND
1,1,2,2-Tetrachloroethane	0.005	0.0005	ND
Tetrachloroethylene	0.005	0.0005	ND
Toluene	0.005	0.0005	ND
1,2,3-Trichlorobenzene	0.005	0.0005	ND
1,2,4-Trichlorobenzene	0.005	0.0005	ND
1,1,1-Trichloroethane	0.005	0.0005	ND

ANALYSIS PERFORMED	MCL (mg/L)	RL (mg/L)	STILL MINERAL FINISHED PRODUCT (Produced from Bajenaru Still Mineral Well) 987-005 (mg/L)
EPA 524.2 continued:			
1,1,2-Trichloroethane	0.005	0.0005	ND
Trichloroethylene	0.005	0.0005	ND
Trichlorofluoromethane	0.005	0.0005	ND
Trichlorotrifluoroethane	--	0.0005	ND
1,2,3-Trichloropropane	0.005	0.0005	ND
1,2,4-Trimethylbenzene	0.005	0.0005	ND
1,3,5-Trimethylbenzene	0.005	0.0005	ND
Vinyl Chloride	0.002	0.0003	ND
m+p-Xylenes	0.005	0.0005	ND
ortho-Xylene	0.005	0.0005	ND
Total Xylene	0.005	0.0005	ND
Add'l Organics			
EPA 505:			
Alachlor	--	0.0001	ND
Aldrin	--	0.00001	ND
Chlordane (alpha and gamma)	--	0.0001	ND
Dieldrin	--	0.00001	ND
Endrin	0.0002	0.00001	ND
Heptachlor	--	0.00001	ND
Heptachlor Epoxide	--	0.00001	ND
Lindane	0.004	0.00001	ND
Methoxychlor	0.05	0.00005	ND
Total PCBs	--	0.0001	ND
PCB 1016	--	0.00008	ND
PCB 1221	--	0.0001	ND
PCB 1232	--	0.0001	ND
PCB 1242	--	0.0001	ND
PCB 1248	--	0.0001	ND
PCB 1254	--	0.0001	ND
PCB 1260	--	0.0001	ND
Toxaphene	0.005	0.0005	ND
EPA 515.4:			
Acifluorfen	--	0.0002	ND
Bentazon	--	0.0005	ND
2,4-D	0.05	0.0001	ND
2,4-DB	--	0.002	ND
Dalapon	--	0.001	ND
DCPA (total Mono & Di acid degradate)	--	0.0001	ND
Dicamba	--	0.0001	ND
3,5-Dichlorobenzoic Acid	--	0.0005	ND
Dichlorprop	--	0.0005	ND
Dinoseb	--	0.0002	ND
Pentachlorophenol	--	0.00004	ND
Picloram	--	0.0001	ND
2,4,5-T	--	0.0002	ND
2,4,5-TP (Silvex)	0.01	0.0002	ND
Disinfection Byproducts			
EPA 317:			
Bromate	0.010	0.005	ND

EPA approved methods were used in all of the analyses and a listing is available upon request. These test results may be used for compliance purposes as required.

¹ The FDA, EPA, some State agencies and/or the IBWA may have established alternate MCLs for some of these analytes. Please refer to Federal, State and Industry codes.

² The bottled water shall not contain beta particle and photon radioactivity from man-made radionuclides in excess of that which would produce an annual dose equivalent to the total body or any internal organ of 4 millirems per year calculated on the basis of an intake of 2 liters of the water per day (=50 pCi/L).

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (626) 386-1101
1 800 566 LABS (1 800 566 5227)



Laboratory Report

for

Carpathian Springs SA
33 Republicii Str.
Vata Dornei
Suceava, Romania,
Attention: (987) Water Quality Manager

Date of Issue
12/09/2014


EUROFINS EATON
ANALYTICAL

LXG: Linda Geddes
Project Manager

Report: 509473
Project: 987-CARP
Group: NY Annual

* Accredited in accordance with TNI 2009 and ISO/IEC 17025:2005.

* Laboratory certifies that the test results meet all **TNI 2009 and ISO/IEC 17025:2005** requirements unless noted under the individual analysis.

* Following the cover page are State Certification List, ISO 17025 Accredited Method List, Acknowledgement of Samples Received, Comments, Hits Report, Data Report, QC Summary, QC Report and Regulatory Forms, as applicable.

* Test results relate only to the sample(s) tested.

STATE CERTIFICATION LIST

State	Certification Number	State	Certification Number
Alabama	41060	Mississippi	Certified
Alaska	CA00006	Montana	Cert 0035
Arizona	AZ0778	Nebraska	Certified
Arkansas	Certified	Nevada	CA00006-2014-1
California-Monrovia-ELAP	2813	New Hampshire *	2959
California-Colton- ELAP	2812	New Jersey *	CA 008
California-Folsom- ELAP	2820	New Mexico	Certified
Colorado	Certified	New York *	11320
Connecticut	PH-0107	North Carolina	06701
Delaware	CA 006	North Dakota	R-009
Florida *	E871024	Oregon (Primary AB) *	ORELAP 4034
Georgia	947	Pennsylvania *	68-565
Guam	14-003r	Rhode Island	LAO00326
Hawaii	Certified	South Carolina	87016
Idaho	Certified	South Dakota	Certified
Illinois *	200033	Tennessee	TN02839
Indiana	C-CA-01	Texas *	T104704230-14-7
Kansas *	E-10268	Utah *	CA000062014-7
Kentucky	90107	Vermont	VT0114
Louisiana *	LA140009	Virginia *	460260
Maine	CA0006	Washington	C838
Maryland	224	West Virginia	9943 C
Commonwealth of Northern Marianas Is.	MP0004	Wisconsin	998316660
Massachusetts	M-CA006	Wyoming	8TMS-L
Michigan	9906	EPA Region 5	Certified
Los Angeles County Sanitation Districts	10264		

* NELAP/TNI Recognized Accreditation Bodies

The tests listed below are accredited and meet the requirements of ISO 17025 as verified by the ANSI-ASQ National Accreditation Board/ACLASS.
Refer to Certificate and scope of accreditation (AT 1807) found at: <http://www.eatonanalytical.com>

SPECIFIC TESTS	METHOD OR TECHNIQUE USED	Drinking Water	Food & Beverage	Waste Water
1,4-Dioxane	EPA 522	x	x	
2,3,7,8-TCDD	Modified EPA 1613B	x	x	
Acrylamide	In House Method	x	x	
Alkalinity	SM 2320B	x	x	x
Ammonia	EPA 350.1		x	x
Ammonia	SM 4500-NH3 H (18th)		x	x
Anions and DBPs by IC	EPA 300.0	x	x	x
Anions and DBPs by IC	EPA 300.1	x	x	
Asbestos	EPA 100.2	x		
Bicarbonate Alkalinity as HCO3	SM 2330B	x	x	x
BOD / CBOD	SM 5210B		x	x
Bromate	In House Method	x	x	
Carbamates	EPA 531.2	x	x	
Carbonate as CO3	SM 2330B	x	x	x
Carbonyls	EPA 556	x	x	
COD	EPA 410.4 / SM 5220D			x
Chloramines	SM 4500-CL G	x	x	x
Chlorinated Acids	EPA 515.4	x	x	
Chlorinated Acids	EPA 555	x	x	
Chlorine Dioxide	SM 4500-CLO2 D	x	x	
Chlorine -Total/Free/Combined Residual	SM 4500-Cl G	x	x	x
Conductivity	EPA 120.1			x
Conductivity	SM 2510B	x	x	x
Corrosivity (Langelier Index)	SM 2330B	x	x	
Cyanide, Amenable	SM 4500-CN G	x		x
Cyanide, Free	SM 4500CN F	x	x	x
Cyanide, Total	EPA 335.4	x	x	x
Cyanogen Chloride (screen)	In House Method	x	x	
Diquat and Paraquat	EPA 549.2	x	x	
DBP/HAA	SM 6251B	x	x	
Dissolved Oxygen	SM 4500-O G		x	x
E. Coli (MTF/EC+MUG)		x		
E. Coli	CFR 141.21(f)(6)(i)		x	x
E. Coli	SM 9223			x
E. Coli (Enumeration)	SM 9221B.1/ SM 9221F	x	x	
E. Coli (Enumeration)	SM 9223B	x	x	
EDB/DCBP	EPA 504.1	x		
EDB/DBCP and DBP	EPA 551.1	x	x	
EDTA and NTA	In House Method	x	x	
Endothall	EPA 548.1	x	x	
Enterococci	SM 9230B	x		x
Fecal Coliform	SM 9221 E (MTF/EC)	x		
Fecal Coliform	SM 9221 C, E (MTF/EC)			x
Fecal Coliform (Enumeration)	SM 9221E (MTF/EC)	x	x	
Fecal Coliform with Chlorine Present	SM 9221E			x
Fecal Streptococci	SM 9230B	x		x
Fluoride	SM 4500-F C	x	x	x
Glyphosate	EPA 547	x	x	
Gross Alpha/Beta	EPA 900.0	x	x	x
HAAs/ Dalapon	EPA 552.3	x	x	
Hardness	SM 2340B	x	x	x
Heterotrophic Bacteria	In House Method	x	x	
Heterotrophic Bacteria	SM 9215 B	x	x	
Hexavalent Chromium	EPA 218.6	x	x	x
Hexavalent Chromium	EPA 218.7	x	x	
Hexavalent Chromium	SM 3500-Cr B or C (20th)			x

SPECIFIC TESTS	METHOD OR TECHNIQUE USED	Drinking Water	Food & Beverage	Waste Water
Hormones	EPA 539	x	x	
Hydroxide as OH Calc.	SM 2330B	x	x	
Kjeldahl Nitrogen	EPA 351.2			x
Mercury	EPA 245.1	x	x	x
Metals	EPA 200.7 / 200.8	x	x	x
Microcystin LR	ELISA	x	x	
NDMA	EPA 521	x	x	
Nitrate/Nitrite Nitrogen	EPA 353.2	x	x	x
OCL, Pesticides/PCB	EPA 505	x	x	
Ortho Phosphate	EPA 365.1	x	x	
Ortho Phosphate and Total Phosphorous	EPA 365.1/SM 4500-P E			x
Ortho Phosphorous	SM 4500P E	x	x	
Oxyhalides Disinfection Byproducts	EPA 317.0	x	x	
Perchlorate	EPA 331.0	x	x	
Perchlorate	EPA 314.0	x	x	
Perfluorinated Alkyl Acids	EPA 537	x	x	
pH	EPA 150.1	x		
pH	SM 4500-H+B	x	x	x
Phenylurea Pesticides/Herbicides	In House Method	x	x	
Pseudomonas	IDEXX Pseudalert	x	x	
Radium-226	RA-226 GA	x	x	
Radium-228	RA-228 GA	x	x	
Radon-222	SM 7500RN	x	x	
Residue, Filterable	SM 2540C	x	x	x
Residue, Non-filterable	SM 2540D			x
Residue, Total	SM 2540B		x	x
Residue, Volatile	EPA 160.4			x
Semi-VOC	EPA 525.2	x	x	
Semi-VOC	EPA 625	x	x	x
Silica	SM 4500-Si D	x	x	x
Silica	SM 4500-SiO2 C	x		x
Sulfide	SM 4500-S ²⁻ D			x
Sulfite	SM 4500-SO ³⁻ B	x	x	x
Surfactants	SM 5540C	x	x	x
Taste and Odor Analytes	SM 6040E	x	x	
Total Coliform	SM 9221 A, B	x	x	
Total Coliform (Enumeration)	SM 9221 A, B, C	x	x	
Total Coliform / E. coli	Colisure	x	x	
Total Coliform	SM 9221B			x
Total Coliform with Chlorine Present	SM 9221B			x
Total Coliform / E.coli	SM 9223	x	x	
TOC	SM 5310C		x	x
TOC/DOC	SM 5310C	x	x	
TOX	SM 5320B			x
Total Phenols	EPA 420.1			x
Total Phenols	EPA 420.4	x	x	x
Total Phosphorous	SM 4500 P F			x
Turbidity	EPA 180.1	x	x	x
Turbidity	SM 2130B	x		x
Uranium by ICP/MS	EPA 200.8	x	x	
UV 254	SM 5910B	x		
VOC	EPA 524.2/EPA 524.3	x	x	
VOC	EPA 624	x	x	x
VOC	EPA SW 846 8260	x	x	
VOC	In House Method	x	x	
Yeast and Mold	SM 9610	x	x	

Acknowledgement of Samples Received

Addr: **Carpathian Springs SA**

33 Republicii Str.

Vata Dornei

Suceava, Romania

ROMANIA

Attn: (987) Water Quality Manager
Phone:

Client ID: CDI

Folder #: 509473

Project: 987-CARP

Sample Group: NY Annual

Project Manager: Linda Geddes

Phone: (626) 386-1163

The following samples were received from you on **November 24, 2014 at 1130**. They have been scheduled for the tests listed below each sample. If this information is incorrect, please contact your service representative. Thank you for using Eurofins Eaton Analytical.

Sample #	Sample ID	Sample Date
201411240297	987-005 Still Mineral F.P.	11/24/2014 1130
Well ID: SDEC Static ID: Bajenaru Still Mineral Well Prod Code: Ph. October 2014 by: 1600		Type: Product size: 1.5L
@505	@515.4	@ANIONS28
@ANIONS48	@ICP	@ICPMS
@VOA	Alkalinity in CaCO3 units	Apparent Color
Bicarb. Alkalinity as HCO3, calc	Bromate by UV/VIS	Fluoride
Langelier Index - 25 degree	Mercury	Odor at 60 C (TON)
PH (H3=past HT not compliant)	PH, Bottled Water	Total Dissolved Solid (TDS)
Total Hardness as CaCO3 by ICP	Turbidity	

Test Description

@505 -- Organochlorine Pesticides/PCBs

@515.4 -- Chlorophenoxy Herbicides

@ANIONS28 -- Chloride, Sulfate by EPA 300.0

@ANIONS48 -- Nitrate, Nitrite by EPA 300.0

@ICP -- ICP Metals

@ICPMS -- ICPMS Metals

@VOA -- Volatile Organics by GCMS

CHAIN OF CUSTODY RECORD

987-005-13

INVOICE TO/SEND ORIGINAL REPORT TO: Compliance 159 South Stark Highway Ware, New Hampshire 03281 Designs Tel (603) 529-4977 Fax (603) 529-4988		CLIENT NAME TO APPEAR ON REPORT: Carpathian Springs SA 33 Republicii Str, Vata Dornei Suceava Romania		LAB USED: Eurofins (MWH Labs) TURNAROUND TIME: STND/BUT ASAP	ORDER # 509473 PWS #:
PROJECT NAME: 2014 NY Annual		PROJECT #: 987			
DATE & TIME OF SAMPLE COLLECTION		SAMPLE DESCRIPTION AND PRODUCTION CODE		ANALYSIS REQUIRED	
987-005		Still Mineral F.P.		NY CMPL-Metals, Inorganics, C,O,I, EPA 524, 505, 515, Bromate	
		Produced Fr: Bajenaru Still Mineral Well		17.1 - 0.2 = 16.90c No IOE	
		Size:		Bottle Water Product Container Sampling date dependent on opening of container	
LAB, PLEASE INDICATE DATE AND TIME BOTTLES OPENED (SAMPLE DATE & TIME) PH october 2014, h: 14.00		Prod Code: Line: GIDEL			
SAMPLER'S SIGNATURE: SIGN HERE		PLEASE PRINT BELOW: J R A G A K K I N T H O I N T H E R E		COMPLIANCE CRITERIA:	
RELINQUISHED BY Sign Here	DATE/TIME Date & Time	ACCEPTED BY 	DATE/TIME 11/24/14 1130	NOTES TO LABORATORY PRODUCT IS LIKELEY TO HAVE VERY HIGH TDS > 1,500 mg/L	

Compliance Designs

MWH ANALYTICAL LABS Checklist

Paperwork:

One (1) Chain of Custody

Bottles:

None

Instructions:

- 1.) The finished product should be sent in sealed, finished product containers.
- 2.) Label your finished product containers with the labels provided (a minimum of eight (8) liters from the same production batch as the product being sent to all laboratories).
- 3.) Please complete the chain of custody where indicated.
- 4.) Ship the sealed, finished product water, and chain-of-custody form, via the carrier of your choice to:

Eurofins (MWH Labs)
750 Royal Oaks Drive, Suite 100
Monrovia, CA 91016
(626) 386-1125

If you have any questions, please call. Thank You.

159 South Stark Highway, The Governor Wentworth Building
Weare, New Hampshire 03281
Phone: (603) 529-4977 / Fax: (603) 529-4988

SC CARPATHIAN SPRINGS SA

Republicii street no.33, VATRA DORNEI, post code 725700, SUCEAVA, ROMANIA

Tel: 0230-372250 ; Fax: 0230-372250

Trade register Suceava J33/358/2000; VAT REG NO: RO13290801

BRD Suceava Branch
RO36BRDE340SV50628533400
BRDEROBU

2201101100

INVOICE No. FCSPR-EXP-000158-2014

Date: November ,14,2014

INVOICED TO: Eurofins (MWH Labs) 750 Royal Oaks Drive, Suite 100 Monrovia, CA 91016, (626) 386-1125 United States		DELIVERY ADDRESS / CONSIGNEE Eurofins (MWH Labs) 750 Royal Oaks Drive, Suite 100 Monrovia, CA 91016, (626) 386-1125 United States	
MODE OF TRANSPORT: TRUCK NO:		TERMS OF DELIVERY:	
COUNTRY OF ORIGIN: Romania		COUNTRY OF DESTINATION: United States	
PLACE OF LOADING: Loc Incoterms		PLACE OF UNLOADING:	
TERMS OF PAYMENT: 60 DAYS			
DESCRIPTION OF ITEMS	QUANTITY BOTTLES	UNIT PRICE USD	AMOUNT USD
Aqua Carpatica Natural Mineral Water, 150 cl, PET 2201101100	3.00 (4.5Liters)	0.02	0.6
TOTAL VALUE		USD	0.6

Stamp and signature


Definitive exportation without payment, value for customs purposes only

Date 14.11, 2014

PACKING LIST

Seller: S.C. CARPATHIAN SPRINGS SA 33, REPUBLICII St., VATRA DORNEI 725700 SUCEAVA - ROMANIA	Customs Reference 2201 1011; 2201 1019;		Sheet No.
	Invoice No. and Date FCSPR-EXP-000158- 2014 NOVEMBER 14, 2014	Exporter's Reference	
	Buyer's Reference	Other reference(s)	
Buyer: Eurofins (MWH Labs) 750 Royal Oaks Drive, Suite 100 Monrovia, CA 91016 (626) 386-1125 USA	Delivered to: Eurofins (MWH Labs) 750 Royal Oaks Drive, Suite 100 Monrovia, CA 91016 (626) 386-1125 USA		
Marks and Numbers: No. and Kind of Packages. Description of Goods	Quantity (bottles)	Other details	
Aqua Carpatica Natural Mineral Water, 150 cl, PET	3	3 bottles/boxes	
Total: 1 boxes type Medpack Termo with mineral water Net weight: 4,5 kgs Gross weight: 22,59 kgs			

Signature,



SPECIFICATIE
LA FACTURA EXTERNA NR FCSRP-EXP-000158-2014

EXPEDITOR
SC CARPATHIAN SPRINGS SA
Str. Republicii nr. 33, VATRA DORNEL, cod 725700, SUCEAVA, ROMANIA
Reg. Comerțului Suceava J/33/358/2000; CIF: RO13290801
Tel: 0740307674 ; Fax: 0230-372250

CUMPARATOR
Eurofins (MWH Labs)
750 Royal Oaks Drive, Suite 100
Monrovia, CA 91016
(626) 386-1125
USA

ADRESA LIVRARE
Eurofins (MWH Labs)
750 Royal Oaks Drive, Suite 100
Monrovia, CA 91016
(626) 386-1125
USA

Denumire produs	paleti	but / palet	bax / palet	litri / palet	kg net / palet	kg brut / palet	kg brut /medpack termo	total butelii	total bax	total litri	total kg net	total kg brut
Aqua Carpatica Natural Mineral Water, 150 cl, PET	0.005	600	100	900	900.00	978.49	17.7	3	0.5	5	4.50	22.59
TOTAL	0.005							3	1	5	4.50	22.59



Bottle Water Product Contains
Sampling date dependent on opening of container

*Michael
Must not be 1/1/85*

20.3 - 3 = 17.00

(u)



TNT		991851591		01/02	
TNT		COLL:		ORIGIN:	
SCV		14/11/14		LOCAL HUB:	
14322 03:52 AD 95RT		BML QUA 141103		TNT REF	
SPECIAL EXPRESS		LAX JF1		DESTINATION:	
DELIVERY:		MONROVIA		B	
91016		US UNITED STATES		SPECIAL INSTRUCTIONS:	
2		AIR XRAY		LAX 14	

[/ Home](#) / Page title



Page title

consignment	reference	destination	pick up date	status
 991851591		MONROVIA	14 Nov 2014	Delivered item description

input screen tips.

e-mail results

991851591 Details

Reference			
Pickup Date	14 Nov 2014		
Destination	MONROVIA		
Delivery Date	14:02, 20 Nov 2014		
Signatory	chris		
Date	Time	Location	Status

20 Nov 2014	14:02:00	Los Angeles	Shipment Delivered In Good Condition.
20 Nov 2014	09:42:53	Los Angeles	Out For Delivery.
20 Nov 2014	08:40:18	Los Angeles	Shipment Received At Tnt Location
19 Nov 2014	17:55:57	Los Angeles	Shipment Received At Tnt Location
19 Nov 2014	08:23:57	New York Jfk Airport	Shipment In Transit.
19 Nov 2014	08:18:07	New York Jfk Airport	Shipment Received At Tnt Location
19 Nov 2014	07:49:23	New York Jfk Airport	Shipment Received At Tnt Location
19 Nov 2014	05:27:00	Usa Others	Shipment Received At Tnt Location
19 Nov 2014	02:40:30	Liege Euro Hub	Shipment In Transit.
18 Nov 2014	18:08:00	Usa Others	Shipment Received At Tnt Location
18 Nov 2014	17:05:00	Usa Others	Onforwarded For Delivery
18 Nov 2014	13:18:52	New York Jfk Airport	Shipment In Transit.
18 Nov 2014	13:18:00	Usa Others	Onforwarded For Delivery
18 Nov 2014	08:55:45	New York Jfk Airport	Shipment Received At Tnt Location

18 Nov 2014	07:45:00	New York Jfk Airport	Delay. Recovery Action Underway
18 Nov 2014	07:40:16	Liege Euro Hub	Shipment Arrived At Tnt Location
18 Nov 2014	06:40:00	New York Jfk Airport	Delay. Recovery Action Underway
18 Nov 2014	06:34:48	Liege Euro Hub	Shipment Arrived At Tnt Location
18 Nov 2014	06:00:00	Liege Euro Hub	Connection Delay. Recovery Actions Underway.
18 Nov 2014	04:45:09	New York Jfk Airport	Released By Customs
18 Nov 2014	03:52:07	Liege Euro Hub	Shipment Received At Origin Depot.
18 Nov 2014	03:37:51	Liege Euro Hub	Shipment In Transit.
18 Nov 2014	01:50:14	Liege Euro Hub	Shipment Received At Transit Point.
17 Nov 2014	18:16:40	Bucharest	Shipment In Transit.
17 Nov 2014	15:41:46	Bucharest	Shipment Received At Origin Depot.
15 Nov 2014	09:41:16	Bucharest	Shipment Received At Tnt Location
15 Nov 2014	00:17:44	Buzau	Shipment In Transit.
14 Nov 2014	21:22:00	Bacau	Shipment In Transit.
14 Nov 2014	20:51:09	Bacau	Shipment In Transit.

14 Nov 2014	20:45:42	Bacau	Shipment Received At Origin Depot.
14 Nov 2014	13:47:15	Suceava	Shipment Collected From Customer
Back to Summary / input screen			

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (626) 386-1101
1 800 566 LABS (1 800 566 5227)

Client: Carpathian Springs SA
33 Republicii Str.
Vata Dornei
Suceava, Romania,

Report Date: 12/09/2014

Attention: (987) Water Quality Manager

Parameter	Method	Reporting Limit	Result
-----------	--------	-----------------	--------

Sample ID: 987-005 Still Mineral F.P.

Sample #: 201411240297

Primary Inorganics

Antimony, Total, ICAP/MS	EPA 200.8	0.001	ND
Arsenic, Total, ICAP/MS	EPA 200.8	0.002	ND
Barium, Total, ICAP/MS	EPA 200.8	0.002	0.0075
Cadmium, Total, ICAP/MS	EPA 200.8	0.0005	ND
Chromium, Total, ICAP/MS	EPA 200.8	0.01	ND
Fluoride	SM 4500F-C	0.05	0.060
Lead, Total, ICAP/MS	EPA 200.8	0.0005	ND
Mercury	EPA 245.1	0.0002	ND
Nickel, Total, ICAP/MS	EPA 200.8	0.005	ND
Nitrate as Nitrogen by IC	EPA 300.0	0.1	0.15
Nitrite, Nitrogen by IC	EPA 300.0	0.05	ND
Selenium, Total, ICAP/MS	EPA 200.8	0.005	ND

Secondary Inorganics

Alkalinity in CaCO3 units	SM 2320B	2	180
Bicarb. Alkalinity as HCO3, calc	SM2330B	2	220
Calcium, Total, ICAP	EPA 200.7	1	52
Chloride	EPA 300.0	0.5	ND
Copper, Total, ICAP/MS	EPA 200.8	0.002	ND
Corrosivity, Units	SM 2330B	-14	0.77
Hardness, Total	SM 2340B	3	200
Iron, Total, ICAP	EPA 200.7	0.02	ND
Magnesium, Total, ICAP	EPA 200.7	0.1	17
Manganese, Total, ICAP/MS	EPA 200.8	0.002	ND
pH (units)	SM4500-HB	0.1	8.2
pH Bottled Water (units)	4500HB/ E 150	0.1	8.2
Silver, Total, ICAP/MS	EPA 200.8	0.0005	ND
Sodium, Total, ICAP	EPA 200.7	1	ND
Sulfate	EPA 300.0	0.5	6.0
Total Dissolved Solids (TDS)	E160.1/SM2540C	10	200
Zinc, Total, ICAP/MS	EPA 200.8	0.02	ND

Physical

All results reported in milligrams per liter unless otherwise noted.
ND - Not detected at the specified limit

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (626) 386-1101
1 800 566 LABS (1 800 566 5227)

Client: Carpathian Springs SA
33 Republicii Str.
Vata Dornei
Suceava, Romania,

Report Date: 12/09/2014

Attention: (987) Water Quality Manager

Parameter	Method	Reporting Limit	Result
Sample ID: 987-005 Still Mineral F.P.		Sample #: 201411240297	
Color (ACU)	SM 2120B	3	ND
Odor at 60C (TON)	SM 2150B	1	ND
Turbidity (NTU)	EPA 180.1	0.05	ND
Volatile Organic Compounds			
Benzene	EPA 524.2	0.0005	ND
Bromobenzene	EPA 524.2	0.0005	ND
Bromochloromethane	EPA 524.2	0.0005	ND
Bromodichloromethane	EPA 524.2	0.0005	ND
Bromoform	EPA 524.2	0.0005	ND
Bromomethane	EPA 524.2	0.0005	ND
n-Butylbenzene	EPA 524.2	0.0005	ND
sec-Butylbenzene	EPA 524.2	0.0005	ND
tert-Butylbenzene	EPA 524.2	0.0005	ND
Carbon Tetrachloride	EPA 524.2	0.0005	ND
Chlorobenzene	EPA 524.2	0.0005	ND
Chloroethane	EPA 524.2	0.0005	ND
Chloroform (Trichloromethane)	EPA 524.2	0.0005	ND
Chloromethane(Methyl Chloride)	EPA 524.2	0.0005	ND
2-Chlorotoluene	EPA 524.2	0.0005	ND
4-Chlorotoluene	EPA 524.2	0.0005	ND
Chlorodibromomethane	EPA 524.2	0.0005	ND
Dibromomethane	EPA 524.2	0.0005	ND
1,2-Dichlorobenzene (1,2-DCB)	EPA 524.2	0.0005	ND
1,3-Dichlorobenzene	EPA 524.2	0.0005	ND
1,4-Dichlorobenzene	EPA 524.2	0.0005	ND
Dichlorodifluoromethane	EPA 524.2	0.0005	ND
1,1-Dichloroethane	EPA 524.2	0.0005	ND
1,2-Dichloroethane	EPA 524.2	0.0005	ND
1,1-Dichloroethylene	EPA 524.2	0.0005	ND
cis-1,2-Dichloroethylene	EPA 524.2	0.0005	ND
trans-1,2-Dichloroethylene	EPA 524.2	0.0005	ND
1,2-Dichloropropane	EPA 524.2	0.0005	ND
1,3-Dichloropropane	EPA 524.2	0.0005	ND

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (626) 386-1101
1 800 566 LABS (1 800 566 5227)

Client: Carpathian Springs SA
33 Republicii Str.
Vata Dornei
Suceava, Romania,

Report Date: 12/09/2014

Attention: (987) Water Quality Manager

Parameter	Method	Reporting Limit	Result
Sample ID: 987-005 Still Mineral F.P.		Sample #: 201411240297	
2,2-Dichloropropane	EPA 524.2	0.0005	ND
1,1-Dichloropropene	EPA 524.2	0.0005	ND
cis-1,3-Dichloropropene	EPA 524.2	0.0005	ND
trans-1,3-Dichloropropene	EPA 524.2	0.0005	ND
Di-Isopropyl ether	EPA 524.2	0.003	ND
Ethyl benzene	EPA 524.2	0.0005	ND
Hexachlorobutadiene	EPA 524.2	0.0005	ND
Isopropylbenzene	EPA 524.2	0.0005	ND
4-Isopropyltoluene	EPA 524.2	0.0005	ND
4-Methyl-2-Pentanone (MIBK)	EPA 524.2	0.005	ND
Methyl Tert-butyl ether (MTBE)	EPA 524.2	0.0005	ND
Methyl Ethyl Ketone (MEK)	EPA 524.2	0.005	ND
Methylene Chloride (Dichloromethane)	EPA 524.2	0.0005	0.00088
Naphthalene	EPA 524.2	0.0005	ND
n-Propylbenzene	EPA 524.2	0.0005	ND
Styrene	EPA 524.2	0.0005	ND
Tert-Amyl Methyl Ether (TAME)	EPA 524.2	0.003	ND
Tert-Butyl Ethyl Ether (TBEE)	EPA 524.2	0.003	ND
1,1,1,2-Tetrachloroethane	EPA 524.2	0.0005	ND
1,1,2,2-Tetrachloroethane	EPA 524.2	0.0005	ND
Tetrachloroethylene (PCE)	EPA 524.2	0.0005	ND
Toluene	EPA 524.2	0.0005	ND
1,2,3-Trichlorobenzene	EPA 524.2	0.0005	ND
1,2,4-Trichlorobenzene	EPA 524.2	0.0005	ND
1,1,1-Trichloroethane	EPA 524.2	0.0005	ND
1,1,2-Trichloroethane	EPA 524.2	0.0005	ND
Trichloroethylene (TCE)	EPA 524.2	0.0005	ND
Trichlorofluoromethane (Freon 11)	EPA 524.2	0.0005	ND
Trichlorotrifluoroethane(Freon 113)	EPA 524.2	0.0005	ND
1,2,3-Trichloropropane	EPA 524.2	0.0005	ND
1,2,4-Trimethylbenzene	EPA 524.2	0.0005	ND
1,3,5-Trimethylbenzene	EPA 524.2	0.0005	ND
Vinyl chloride (VC)	EPA 524.2	0.0003	ND
Total xylenes	EPA 524.2	0.0005	ND

All results reported in milligrams per liter unless otherwise noted.
ND - Not detected at the specified limit

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (626) 386-1101
1 800 566 LABS (1 800 566 5227)

Client: Carpathian Springs SA
33 Republicii Str.
Vata Dornei
Suceava, Romania,

Report Date: 12/09/2014

Attention: (987) Water Quality Manager

Parameter	Method	Reporting Limit	Result
Sample ID: 987-005 Still Mineral F.P.		Sample #: 201411240297	
m,p-Xylenes	EPA 524.2	0.0005	ND
o-Xylene	EPA 524.2	0.0005	ND
Carbon Disulfide	EPA 524.2	0.0005	ND
Pesticides and PCBs			
Alachlor (Alanex)	EPA 505	0.0001	ND
Aldrin	EPA 505	0.00001	ND
Chlordane	EPA 505	0.0001	ND
Dieldrin	EPA 505	0.00001	ND
Endrin	EPA 505	0.00001	ND
Heptachlor	EPA 505	0.00001	ND
Heptachlor Epoxide	EPA 505	0.00001	ND
Lindane (gamma-BHC)	EPA 505	0.00001	ND
Methoxychlor	EPA 505	0.00005	ND
Total PCBs	EPA 505	0.0001	ND
PCB 1016 Aroclor	EPA 505	0.00008	ND
PCB 1221 Aroclor	EPA 505	0.0001	ND
PCB 1232 Aroclor	EPA 505	0.0001	ND
PCB 1242 Aroclor	EPA 505	0.0001	ND
PCB 1248 Aroclor	EPA 505	0.0001	ND
PCB 1254 Aroclor	EPA 505	0.0001	ND
PCB 1260 Aroclor	EPA 505	0.0001	ND
Toxaphene	EPA 505	0.0005	ND
Herbicides			
2,4,5-T	EPA 515.4	0.0002	ND
2,4,5-TP (Silvex)	EPA 515.4	0.0002	ND
2,4-D	EPA 515.4	0.0001	ND
2,4-DB	EPA 515.4	0.002	ND
Dichlorprop	EPA 515.4	0.0005	ND
Acifluorfen	EPA 515.4	0.0002	ND
Bentazon	EPA 515.4	0.0005	ND
Dalapon	EPA 515.4	0.001	ND
3,5-Dichlorobenzoic acid	EPA 515.4	0.0005	ND

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (626) 386-1101
1 800 566 LABS (1 800 566 5227)

Client: Carpathian Springs SA
33 Republicii Str.
Vata Dornei
Suceava, Romania,

Report Date: 12/09/2014

Attention: (987) Water Quality Manager

Parameter	Method	Reporting Limit	Result
Sample ID: 987-005 Still Mineral F.P.		Sample #: 201411240297	
Tot DCPA Mono&Diacid Degradate	EPA 515.4	0.0001	ND
Dicamba	EPA 515.4	0.0001	ND
Dinoseb	EPA 515.4	0.0002	ND
Pentachlorophenol	EPA 515.4	0.00004	ND
Picloram	EPA 515.4	0.0001	ND
Disinfection By-products			
Bromate	EPA 317	0.005	ND
Total Trihalomethanes	EPA 524.2	0.0005	ND

December 11, 2014

Terri Deschuiteneer
Compliance Designs
159 South Stark Highway
Weare, NH 03281

RE: Project: 987-005
Pace Project No.: 30134765

Dear Terri Deschuiteneer:

Enclosed are the analytical results for sample(s) received by the laboratory on November 19, 2014. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jacquelyn Collins
jacquelyn.collins@pacelabs.com
Project Manager

Enclosures

cc: Ms. Justine Deschuiteneer, Compliance Designs



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: 987-005
Pace Project No.: 30134765

Pennsylvania Certification IDs

1638 Roseytown Rd Suites 2,3&4, Greensburg, PA 15601
ACCLASS DOD-ELAP Accreditation #: ADE-1544
Alabama Certification #: 41590
Arizona Certification #: AZ0734
Arkansas Certification
California/TNI Certification #: 04222CA
Colorado Certification
Connecticut Certification #: PH-0694
Delaware Certification
Florida/TNI Certification #: E87683
Guam/PADEP Certification
Hawaii/PADEP Certification
Idaho Certification
Illinois/PADEP Certification
Indiana/PADEP Certification
Iowa Certification #: 391
Kansas/TNI Certification #: E-10358
Kentucky Certification #: 90133
Louisiana DHH/TNI Certification #: LA140008
Louisiana DEQ/TNI Certification #: 4086
Maine Certification #: PA00091
Maryland Certification #: 308
Massachusetts Certification #: M-PA1457
Michigan/PADEP Certification
Missouri Certification #: 235

Montana Certification #: Cert 0082
Nebraska Certification #: NE-05-29-14
Nevada Certification
New Hampshire/TNI Certification #: 2976
New Jersey/TNI Certification #: PA 051
New Mexico Certification
New York/TNI Certification #: 10888
North Carolina Certification #: 42706
North Dakota Certification #: R-190
Oregon/TNI Certification #: PA200002
Pennsylvania/TNI Certification #: 65-00282
Puerto Rico Certification #: PA01457
South Dakota Certification
Tennessee Certification #: TN2867
Texas/TNI Certification #: T104704188
Utah/TNI Certification #: PA014572014-4
Vermont Dept. of Health: ID# VT-0282
Virgin Island/PADEP Certification
Virginia/VELAP Certification #: 460198
Washington Certification #: C868
West Virginia DEP Certification #: 143
West Virginia DHHR Certification #: 9964C
Wisconsin/PADEP Certification
Wyoming Certification #: 8TMS-Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: 987-005
Pace Project No.: 30134765

Lab ID	Sample ID	Matrix	Date Collected	Date Received
30134765001	987-005	Drinking Water	11/19/14 18:00	11/19/14 18:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: 987-005
Pace Project No.: 30134765

Lab ID	Sample ID	Method	Analysts	Analytes Reported
30134765001	987-005	EPA 900.0	FCC	2
		EPA 903.1	JC2	1
		EPA 904.0	JAL	1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS - RADIOCHEMISTRY

Project: 987-005

Pace Project No.: 30134765

Sample: 987-005 **Lab ID: 30134765001** Collected: 11/19/14 18:00 Received: 11/19/14 18:00 Matrix: Drinking Water

PWS: Site ID: Sample Type:

Comments: • Upon receipt at the laboratory, 6 mls of nitric acid were added to the samples to meet the sample preservation requirement of pH <2 for radiological analyses
• 987-005, Carpathian Springs SA, Still Mineral F.P.
• 33 Republicii Str, Vata Dornei, Suceava, Romania

Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Gross Alpha	EPA 900.0	0.352 ± 1.02 (2.13) C:NA T:NA	pCi/L	12/01/14 18:01	12587-46-1	
Gross Beta	EPA 900.0	0.476 ± 0.652 (1.30) C:NA T:NA	pCi/L	12/01/14 18:01	12587-47-2	
Radium-226	EPA 903.1	-0.056 ± 0.289 (0.669) C:NA T:84%	pCi/L	12/03/14 13:20	13982-63-3	
Radium-228	EPA 904.0	-0.0905 ± 0.278 (0.676) C:82% T:81%	pCi/L	12/02/14 15:21	15262-20-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL - RADIOCHEMISTRY

Project: 987-005

Pace Project No.: 30134765

QC Batch: RADC/22317

Analysis Method: EPA 904.0

QC Batch Method: EPA 904.0

Analysis Description: 904.0 Radium 228

Associated Lab Samples: 30134765001

METHOD BLANK: 821513

Matrix: Water

Associated Lab Samples: 30134765001

Parameter	Act ± Unc (MDC) Carr Trac	Units	Analyzed	Qualifiers
Radium-228	0.152 ± 0.288 (0.633) C:82% T:89%	pCi/L	12/02/14 15:20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL - RADIOCHEMISTRY

Project: 987-005

Pace Project No.: 30134765

QC Batch: RADC/22315

Analysis Method: EPA 903.1

QC Batch Method: EPA 903.1

Analysis Description: 903.1 Radium-226

Associated Lab Samples: 30134765001

METHOD BLANK: 821511

Matrix: Water

Associated Lab Samples: 30134765001

Parameter	Act ± Unc (MDC) Carr Trac	Units	Analyzed	Qualifiers
Radium-226	0.103 ± 0.379 (0.729) C:NA T:88%	pCi/L	12/03/14 12:40	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL - RADIOCHEMISTRY

Project: 987-005
Pace Project No.: 30134765

QC Batch:	RADC/22362	Analysis Method:	EPA 900.0
QC Batch Method:	EPA 900.0	Analysis Description:	900.0 Gross Alpha/Beta
Associated Lab Samples:	30134765001		

METHOD BLANK:	822815	Matrix:	Water
Associated Lab Samples:	30134765001		

Parameter	Act ± Unc (MDC) Carr Trac	Units	Analyzed	Qualifiers
Gross Alpha	-0.332 ± 0.506 (1.71) C:NA T:NA	pCi/L	12/01/14 08:44	
Gross Beta	1.10 ± 0.891 (1.80) C:NA T:NA	pCi/L	12/01/14 08:44	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: 987-005
Pace Project No.: 30134765

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Act - Activity

Unc - Uncertainty: SDWA = 1.96 sigma count uncertainty, all other matrices = Expanded Uncertainty (95% confidence interval).

Gamma Spec = Expanded Uncertainty (95.4% Confidence Interval)

(MDC) - Minimum Detectable Concentration

Trac - Tracer Recovery (%)

Carr - Carrier Recovery (%)

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

WORKORDER QUALIFIERS

WO: 30134765

[1] Collection date/time not indicated on samples.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CHAIN OF CUSTODY RECORD

987-005-19

INVOICE TO/SEND ORIGINAL REPORT TO: Compliance 159 South Stark Highway Weare, New Hampshire 03281 Designs Tel (603) 529-4977 Fax (603) 529-4988		CLIENT NAME TO APPEAR ON REPORT: Carpathian Springs SA 33 Republicii Str, Vata Dornei Suceava Romania		LAB USED: Pace	ORDER #
PROJECT NAME: 2014 NY Annual		PROJECT #: 987		TURNAROUND TIME: STND/BUT ASAP	PWS #:
ANALYSIS REQUIRED 30134765					
SAMPLE NUMBER 987-005	DATE & TIME OF SAMPLE COLLECTION	SAMPLE DESCRIPTION AND PRODUCTION CODE Still Mineral F.P.	NUMBER OF CONTAINERS		
		Produced Fr: Bajenaru Still Mineral Well			
		Size: 1.5 e			
LAB, PLEASE INDICATE DATE AND TIME BOTTLES OPENED (SAMPLE DATE & TIME) 11-19-14 1800		Prod Code: Line: SIEC			
SAMPLER'S SIGNATURE: SIGN HERE [Signature]		PLEASE PRINT BELOW: J. RAGAN J. RAGAN		COMPLIANCE CRITERIA:	
RELINQUISHED BY Sign Here	DATE/TIME Date & Time	ACCEPTED BY [Signature]	DATE/TIME 11-19-14 1800	NOTES TO LABORATORY	



Sample Condition Upon Receipt

Client Name: CDI

Project # 30134765

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace ☒ Other US Cargo

Tracking #: 5500053960146233

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no Biological Tissue is Frozen: Yes No

Packing Material: Bubble Wrap ☐ Bubble Bags ☒ None Other ☐

Thermometer Used NA Type of Ice: Wet Blue ☒ None ☐ Samples on ice, cooling process has begun

Cooler Temp.: Observed Temp.: NA °C Correction Factor: — °C Final Temp: — °C

Date and Initials of person

examining contents: AM
11-19-14

Temp should be above freezing to 6°C

Comments:

Chain of Custody Present:	☒ Yes ☐ No ☐ N/A	1.
Chain of Custody Filled Out:	☒ Yes ☐ No ☐ N/A	2.
Chain of Custody Relinquished:	☐ Yes ☒ No ☐ N/A	3.
Sampler Name & Signature on COC:	☐ Yes ☒ No ☐ N/A	4.
Samples Arrived within Hold Time:	☒ Yes ☐ No ☐ N/A	5.
Short Hold Time Analysis (<72hr):	☐ Yes ☒ No ☐ N/A	6.
Rush Turn Around Time Requested:	☐ Yes ☒ No ☐ N/A	7.
Sufficient Volume:	☒ Yes ☐ No ☐ N/A	8.
Correct Containers Used:	☒ Yes ☐ No ☐ N/A	9.
-Pace Containers Used:	☐ Yes ☒ No ☐ N/A	
Containers Intact:	☒ Yes ☐ No ☐ N/A	10.
Filtered volume received for Dissolved tests	☐ Yes ☐ No ☒ N/A	11.
Sample Labels match COC:	☐ Yes ☒ No ☐ N/A	12.
-Includes date/time/ID/Analysis Matrix:	<u>WT</u>	<u>no date, time, or ID on bottles</u>
All containers needing preservation have been checked.	☒ Yes ☐ No ☐ N/A	13. <u>added 6mL HNO₃ to all bottles</u>
All containers needing preservation are found to be in compliance with EPA recommendation.	☐ Yes ☒ No ☐ N/A	<u>11-19-14 1800 PHLZ</u>
exceptions: VOA, coliform, TOC, O&G, WI-DRO (water)	☐ Yes ☒ No ☐ N/A	Initial when completed <u>AM</u> Lot # of added preservative <u>DL14-1054</u>
Samples checked for dechlorination:	☐ Yes ☐ No ☒ N/A	14.
Headspace in VOA Vials (>6mm):	☐ Yes ☐ No ☒ N/A	15.
Trip Blank Present:	☐ Yes ☐ No ☒ N/A	16.
Trip Blank Custody Seals Present	☐ Yes ☐ No ☒ N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

Field Data Required?

Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review:

Date:

11/20/14

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

Client Name:

[illegible]