



Burlington, WA	Corporate Laboratory (a)	1820 S Walnut St	Burlington, WA 98223	800.755.9295 +360.757.1400
Bellingham, WA	Microbiology (b)	805 Orchard Cr Ste 4	Bellingham, WA 98225	360.715.1212
Portland, OR	Microbiology/Chemistry (c)	9100 SW Pioneer Ct Ste W	Wilsonville, OR 97170	503.682.7800
Corvallis, OR	Microbiology (d)	340 SW Third Street	Corvallis, OR 97333	541.753.4948

May 1, 2018

Page 1 of 1

Mr. Bob Perini
Drinkmore Water/Drinkmore Delivery Inc
7595 Rickenbacker Drive
Gaithersburg, MD 20879

RE: 18-09123 - Annual IBWA Testing

Dear Mr. Bob Perini,

Your project: Annual IBWA Testing, was received on Thursday March 15, 2018.

All samples were analyzed within the accepted holding times and were appropriately preserved and analyzed according to approved analytical protocols, unless noted in the data or QC reports. The quality control data was within laboratory acceptance limits, unless specified in the data or QC reports.

If you have questions phone us at 800 755-9295.

Respectfully

Lawrence J Henderson, PhD
Director of Laboratories, Vice President

Enclosures: Data Report
QC Reports
Chain of Custody



Burlington, WA Corporate Laboratory (a)
 1020 S Walnut St - Burlington, WA 98223 - 800.755.8286 - 360.737.1400

Bellingham, WA Microbiology (b)
 903 Orchard Dr Ste 4 - Bellingham, WA 98225 - 360.715.1212

Portland, OR Microbiology/Chemistry (c)
 9150 SW Flower Ct Ste W - Hillsboro, OR 97120 - 503.682.7602

Corvallis, OR Microbiology/Chemistry (d)
 540 SW Third Street - Corvallis, OR 97331 - 541.753.4996

Bend, OR Microbiology (e)
 2032 Empire Blvd Ste 4 - Bend, OR 97701 - 541.639.8425



BOTTLED WATER STANDARD OF QUALITY REPORT

Client Name: Drinkmore Water/Drinkmore Delivery Inc
 7595 Rickenbacker Drive
 Gaithersburg, MD 20879

Reference Number: **18-09123**

Authorized by:

Lawrence J Henderson, PhD
 Director of Laboratories, Vice President

Project: Annual IBWA Testing
 Field ID: Annual
 Sample Description: Drinkmore Water (Purified)
 Sampled By: Bob Perini
 Sample Date: 03/21/2018

Lab Number: 19133
 Report Date: 05/01/2018
 Approved By: anp,bj,co,fm,hkl,hy,ljh,lrs,nt

Inorganic Chemicals (IOCs)

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Lab	COMMENT
57-12-5	CYANIDE	ND	0.2	0.01	mg/L	OIA-1677-DW	a	
7440-36-0	ANTIMONY	ND	0.006	0.001	mg/L	200.8	a	
7440-38-2	ARSENIC	ND	0.010	0.001	mg/L	200.8	a	
7440-39-3	BARIUM	ND	1.0	0.001	mg/L	200.8	a	
7440-41-7	BERYLLIUM	ND	0.004	0.001	mg/L	200.8	a	
7440-43-9	CADMIUM	ND	0.005	0.001	mg/L	200.8	a	
7440-47-3	CHROMIUM	ND	0.05	0.005	mg/L	200.8	a	
16984-48-8	FLUORIDE	ND	2.4	0.10	mg/L	300.0	a	
7439-92-1	LEAD	ND	0.005	0.001	mg/L	200.8	a	
7439-97-6	MERCURY	ND	0.001	0.0002	mg/L	245.1	a	
7440-02-0	NICKEL	ND	0.1	0.001	mg/L	200.8	a	
14797-55-8	NITRATE-N	0.10	10	0.10	mg/L	300.0	a	
14797-65-0	NITRITE-N	ND	1.0	0.10	mg/L	300.0	a	
E-10128	TOTAL NITRATE/NITRITE	0.10	10	0.10	mg/L	300.0	a	
7782-49-2	SELENIUM	ND	0.010	0.005	mg/L	200.8	a	
7440-28-0	THALLIUM	ND	0.002	0.001	mg/L	200.8	a	
1497-73-0	* PERCHLORATE	ND	0.002	0.00005	mg/L	331.0		Analyzed by UL

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.
 SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by CBIWA, IBWA or US FDA.
 MRL - Method Reporting Limit.
 An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples. If you have any questions concerning this report contact us at the above phone number.



Reference Number: **18-09123**
Lab Number: **19133**
Report Date: **05/01/2018**

BOTTLED WATER STANDARD OF QUALITY REPORT

Page 2 of 7

Secondary Inorganic Parameters

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Lab	COMMENT
7429-90-5	ALUMINUM	ND	0.2	0.010	mg/L	200.7	a	
16887-00-6	CHLORIDE	0.4	250	0.1	mg/L	300.0	a	
7440-50-8	COPPER	ND	1.0	0.005	mg/L	200.8	a	
7439-89-6	IRON	ND	0.3	0.050	mg/L	200.7	a	
7439-96-5	MANGANESE	ND	0.05	0.001	mg/L	200.8	a	
7440-22-4	SILVER	ND	0.025	0.010	mg/L	200.8	a	
14808-79-8	SULFATE	ND	250	0.2	mg/L	300.0	a	
E-10173	TOTAL DISSOLVED SOLIDS (TDS)	5	10	5	mg/L	SM2540 C	a	
7440-66-6	ZINC	ND	5.0	0.005	mg/L	200.8	a	

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.
SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by CDWA, ISWA or US FDA.
MRL - Method Reporting Limit.
An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.



Reference Number: 18-09123

Lab Number: 19133

Report Date: 05/01/2018

BOTTLED WATER STANDARD OF QUALITY REPORT

Page 3 of 7

Volatile Organic Chemicals (VOCs)

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Lab	COMMENT
71-55-6	1,1,1 - TRICHLOROETHANE	ND	30	0.4	ug/L	524.2	a	
79-00-5	1,1,2 - TRICHLOROETHANE	ND	3	0.4	ug/L	524.2	a	
75-35-4	1,1 - DICHLOROETHYLENE	ND	2	0.4	ug/L	524.2	a	
120-82-1	1,2,4 - TRICHLOROBENZENE	ND	9	0.4	ug/L	524.2	a	
107-06-2	1,2 - DICHLOROETHANE	ND	2	0.4	ug/L	524.2	a	
78-87-5	1,2 - DICHLOROPROPANE	ND	5	0.4	ug/L	524.2	a	
71-43-2	BENZENE	ND	1	0.4	ug/L	524.2	a	
56-23-5	CARBON TETRACHLORIDE	ND	5	0.4	ug/L	524.2	a	
156-59-2	CIS - 1,2 - DICHLOROETHYLENE	ND	70	0.4	ug/L	524.2	a	
156-60-5	TRANS - 1,2 - DICHLOROETHYLENE	ND	100	0.4	ug/L	524.2	a	
100-41-4	ETHYLBENZENE	ND	700	0.4	ug/L	524.2	a	
75-09-2	METHYLENE CHLORIDE (DICHLOROMETHANE)	ND	3	0.4	ug/L	524.2	a	
108-90-7	MONOCHLOROBENZENE	ND	50	0.4	ug/L	524.2	a	
95-50-1	O - DICHLOROBENZENE	ND	600	0.4	ug/L	524.2	a	
106-46-7	P - DICHLOROBENZENE	ND	75	0.4	ug/L	524.2	a	
100-42-5	STYRENE	ND	100	0.4	ug/L	524.2	a	
127-18-4	TETRACHLOROETHYLENE	ND	1	0.4	ug/L	524.2	a	
108-88-3	TOLUENE	ND	1000	0.4	ug/L	524.2	a	
79-01-6	TRICHLOROETHYLENE	ND	1	0.4	ug/L	524.2	a	
75-01-4	VINYL CHLORIDE	ND	2	0.4	ug/L	524.2	a	
1330-20-7	XYLENES (TOTAL)	ND	1000	0.4	ug/L	524.2	a	
75-27-4	BROMODICHLOROMETHANE	2.0		0.4	ug/L	524.2	a	
124-48-1	CHLORODIBROMOMETHANE	ND		0.4	ug/L	524.2	a	
67-66-3	CHLOROFORM	4.8		0.4	ug/L	524.2	a	
75-25-2	BROMOFORM	ND		0.4	ug/L	524.2	a	
E-14471	TOTAL TRIHALOMETHANE	6.8	10	0.4	ug/L	524.2	a	
1634-04-4	METHYL TERT-BUTYL ETHER	ND	70	0.4	ug/L	524.2	a	
91-20-3	NAPHTHALENE	ND	300	0.4	ug/L	524.2	a	
79-34-5	1,1,2,2 - TETRACHLOROETHANE	ND	1	0.4	ug/L	524.2	a	

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.
SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by CDWA, ISWA or US FDA.
MRL - Method Reporting Limit.

An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.



Reference Number: **18-09123**
 Lab Number: **19133**
 Report Date: **05/01/2018**

BOTTLED WATER STANDARD OF QUALITY REPORT

Page 4 of 7

Synthetic Organic Chemicals (SOCs)

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Lab	COMMENT
93-72-1	2,4,5 - TP (SILVEX)	ND	10	0.2	ug/L	515.4	a	
94-75-7	2,4 - D	ND	70	0.1	ug/L	515.4	a	
15972-60-8	ALACHLOR	ND	2	0.2	ug/L	525.2	a	
116-06-3	ALDICARB	ND	3	1	ug/L	531.2	a	
1646-88-4	ALDICARB SULFONE	ND	3	1	ug/L	531.2	a	
1646-87-3	ALDICARB SULFOXIDE	ND	4	1	ug/L	531.2	a	
1912-24-9	ATRAZINE	ND	3	0.1	ug/L	525.2	a	
1563-66-2	CARBOFURAN	ND	40	0.9	ug/L	531.2	a	
57-74-9	CHLORDANE	ND	2	0.2	ug/L	508.1	a	
75-99-0	DALAPON	ND	200	1	ug/L	515.4	a	
96-12-8	DIBROMOCHLOROPROPANE (DBCP)	ND	0.2	0.02	ug/L	504.1	a	
88-85-7	DINOSEB	ND	7	0.2	ug/L	515.4	a	
72-20-8	ENDRIN	ND	2	0.01	ug/L	525.2	a	
106-93-4	1,2 - DIBROMOETHANE (EDB)	ND	0.05	0.01	ug/L	504.1	a	
76-44-8	HEPTACHLOR	ND	0.4	0.04	ug/L	525.2	a	
1024-57-3	* HEPTACHLOR EPOXIDE	ND	0.2	0.02	ug/L	525.2	a	
58-89-9	LINDANE (BHC - GAMMA)	ND	0.2	0.02	ug/L	525.2	a	
72-43-5	METHOXYCHLOR	ND	40	0.1	ug/L	525.2	a	
23135-22-0	OXAMYL (VYDATE)	ND	200	2	ug/L	531.2	a	
87-86-5	PENTACHLOROPHENOL	ND	1	0.04	ug/L	515.4	a	
1918-02-1	PICLORAM	ND	500	0.1	ug/L	515.4	a	
1336-36-3	POLYCHLORINATED BIPHENYLS (PCB)	ND	0.5	0.5	ug/L	508.1	a	
122-34-9	SIMAZINE	ND	4	0.07	ug/L	525.2	a	
8001-35-2	TOXAPHENE	ND	3	1	ug/L	508.1	a	
50-32-8	BENZO(A)PYRENE	ND	0.2	0.02	ug/L	525.2	a	
103-23-1	DI(2-ETHYLHEXYL)-ADIPATE	ND	400	0.6	ug/L	525.2	a	
117-81-7	DI(2-ETHYLHEXYL)-PHTHALATE	ND	6	0.6	ug/L	525.2	a	
118-74-1	HEXACHLOROBENZENE	ND	1	0.1	ug/L	525.2	a	
77-47-4	HEXACHLOROCYCLO-PENTADIENE	ND	50	0.05	ug/L	525.2	a	
E-10253	TOTAL RECOVERABLE PHENOLICS	ND	1	1	ug/L	420.4		Analyzed by NSF

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.
 SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by CDWA, ISWA or US FDA.
 MRL - Method Reporting Limit.

An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.



Reference Number: **18-09123**

Lab Number: **19133**

Report Date: **05/01/2018**

BOTTLED WATER STANDARD OF QUALITY REPORT

Page 5 of 7

Water Properties

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Lab	COMMENT
E-11712	COLOR	ND	5	5	Color Units	SM2120 B	a	
E-10617	TURBIDITY	ND	0.5	0.10	NTU	180.1	a	
E-10139	HYDROGEN ION (pH)	6.00	5.0-8.5		pH Units	150.1	a	
E-11734	ODOR	ND	3	1	TON	SM2150	a	Temperature: 41.6

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.
SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by CDWA, ISWA or US FDA.
MRL - Method Reporting Limit.

An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.



Reference Number: **18-09123**

Lab Number: **19133**

Report Date: **05/01/2018**

BOTTLED WATER STANDARD OF QUALITY REPORT

Page 6 of 7

Disinfectants/DBP

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Lab	COMMENT
NA	HAA(5)	ND	0.060	0.001	mg/L	552.3	a	
15541-45-4	BROMATE	ND	0.010	0.001	mg/L	300.1	a	
10049-04-4	* CHLORINE DIOXIDE	ND	0.8	0.10	mg/L	SM4500-ClO ₂ I	a	
7758-19-2	* CHLORITE	ND	1.00	0.050	mg/L	300.1	a	
NA	* CHLORAMINES TOTAL	ND	4.0	0.05	mg/L	SM4500-Cl G	a	
7782-50-5	FREE CHLORINE RESIDUAL	ND	0.1	0.05	mg/L	SM4500-Cl G	a	

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.
SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by CDWA, ISWA or US FDA.
MRL - Method Reporting Limit.

An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.



Reference Number: **18-09123**

Lab Number: **19133**

Report Date: **05/01/2018**

BOTTLED WATER STANDARD OF QUALITY REPORT

Page 7 of 7

Radiological Contaminants

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Lab	COMMENT
12587-46-1	GROSS ALPHA	ND	15		pCi/L	900.0		Analyzed by Pace
12587-47-2	GROSS BETA	ND	50		pCi/L	900.0		Analyzed by Pace
13982-63-3	RADIUM 226	ND			pCi/L	903.1		Analyzed by Pace
15262-20-1	RADIUM 228	ND			pCi/L	904.0		Analyzed by Pace
7440-14-4	RADIUM 226,228 (combined)	ND	5	1	pCi/L	903.1/904.0		Analyzed by Pace
7440-61-1	URANIUM	ND	0.030	0.001	mg/L	200.8	a	

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.
SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by CDWA, ISWA or US FDA.
MRL - Method Reporting Limit.

An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.



Burlington, WA	Corporate Laboratory (H)	1620 S Yonah St	Burlington, WA 98223	888.756.5295 - 360.757.1400
Bellingham, WA	Microbiology (H)	805 Orchard Dr Ste 4	Bellingham, WA 98225	888.716.1212
Portland, OR	Microbiology/Chemistry (H)	8150 SW Pioneer Dr Ste 10	Wilsonville, OR 97150	503.682.7800
Corvallis, OR	Microbiology (H)	540 SW Third Street	Corvallis, OR 97331	541.753.4646



Certificate Of Analysis

Client Name: Drinkmore Water/Drinkmore Delivery Inc
7595 Rickenbacker Drive
Gaithersburg, MD 20879

Reference Number: **18-09123**
Project: Annual IBWA Testing
Report Date: 5/1/18
Date Received: 3/15/18
Approved By: anp

Authorized by:

Lawrence J. Henderson, PhD
Director of Laboratories, Vice President

Sample Description: Annual - Drinkmore Water (Purified)
Lab Number: 19133

Sample Date: 3/21/18
Collected By: Bob Perini

Parameter	RESULT	Method	Analyzed	Analyst	Batch	Comment
*HYDROGEN ION (pH)	PASS	USP Mon. XXIII	4/12/18	LRS	usp_180412	Temp (C) :
*OXIDIZIBLE SUBSTANCES	PASS	USP Mon. XXIII	4/12/18	LRS	usp_180412	
*AMMONIA-N	PASS	USP Mon. XXIII	4/12/18	LRS	usp_180412	
*HEAVY METALS	PASS	USP Mon. XXIII	4/12/18	LRS	usp_180412	
*CARBON DIOXIDE	PASS	USP Mon. XXIII	4/12/18	LRS	usp_180412	
*CALCIUM	PASS	USP Mon. XXIII	4/12/18	LRS	usp_180412	
*TOTAL SOLIDS	PASS	USP Mon. XXIII	4/12/18	LRS	usp_180412	
*SULFATE	PASS	USP Mon. XXIII	4/12/18	LRS	usp_180412	
*CHLORIDE	PASS	USP Mon. XXIII	4/12/18	LRS	usp_180412	
*TOTAL COLIFORM	ABSENT	SM9223 B/Collert-1	3/22/18	BJ	M_180321BUR	
*E. COLI	NEG	SM9223 B/Collert-1	3/22/18	BJ	M_180321BUR	

Notes:

ND = Not detected above the listed practical quantitation limit (PQL) or not above the Method Detection Limit (MDL), if requested.
PQL = Practical Quantitation Limit is the lowest level that can be achieved within specified limits of precision and accuracy during routine laboratory operating conditions.

An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples. If you have any questions concerning this report contact Lawrence Henderson at the above phone number.



Burlington, WA Corporate Laboratory (a)
 1620 S Walnut St - Burlington, WA 98223 - 888.755.9295 - 360.757.1400
 Bellingham, WA Microbiology (b)
 805 Orchard Dr Ste 4 - Bellingham, WA 98225 - 360.715.1213

Portland, OR Microbiology/Chemistry (c)
 9150 SW Pioneer Ct Ste 10 - Wilsonville, OR 97170 - 503.982.7803
 Corvallis, OR Microbiology/Chemistry (d)
 540 SW Third Street - Corvallis, OR 97331 - 541.753.4946
 Bend, OR Microbiology (e)
 20332 Empire Blvd Ste 4 - Bend, OR 97701 - 541.628.9425



Data Report

Client Name: Drinkmore Water/Drinkmore Delivery Inc
 7595 Rickenbacker Drive
 Gaithersburg, MD 20879

Reference Number: **18-09123**
 Project: Annual IBWA Testing

Report Date: 5/1/18

Date Received: 3/15/18

Approved by: bj,hkl

Authorized by:

Lawrence J Henderson, PhD
 Director of Laboratories, Vice President

Sample Description: Annual - Drinkmore Water (Purified) Sample Date: 3/21/18 10:46 am
 Lab Number: 19133 Sample Comment: Collected By: Bob Perini

CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment
7440-70-2	CALCIUM	ND	1	0.009	mg/L	1.0	200.7	a	3/21/18	ANP	200.7_180326a	
E-11778	HARDNESS as Calcium Carbonate	ND	10	0.01	mg/L	1.0	200.7	a	3/21/18	ANP	200.7_180326a	
7439-95-4	MAGNESIUM	ND	1	0.001	mg/L	1.0	200.7	a	3/21/18	ANP	200.7_180326a	
7440-09-7	POTASSIUM	ND	1.0	0.1	mg/L	1.0	200.7	a	3/21/18	ANP	200.7_180326a	
7440-23-5	SODIUM	1.10	0.50	0.05	mg/L	1.0	200.7	a	3/21/18	ANP	200.7_180326a	
E-10184	ELECTRICAL CONDUCTIVITY	ND	10		uS/cm	1.0	SM2510 B	a	3/25/18	SRS	EC_180325	

Notes:

ND = Not detected above the listed practical quantitation limit (PQL) or not above the Method Detection Limit (MDL), if requested.
 PQL = Practical Quantitation Limit is the lowest level that can be achieved within specified limits of precision and accuracy during routine laboratory operating conditions.
 D.F. = Dilution Factor

An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAP, unless otherwise stated in writing, and relate only to these samples. Estimates of uncertainty are not included in this report. If this information is required please contact us at the phone number listed in the report header.

If you have any questions concerning this report contact us at the above phone number.