

Water Quality Report 2018

PURIFIED O DRINKIN

niagara

PURIF

DRINKING W

Net: 16.9 fl oz (1.05 PT) 500 m

2560 E. Philadelphia St Ontario, CA 91761 (877) 487-7873

Copyright © 2018 Niagara Bottling, LLC. All rights reserved.



Table of Contents

State of the Art Purification	1
History/Mission Statement	2
Sustainability Initiatives	3
Our Commitment To Quality	4
Regulations	5
Purified Water, Distilled Water & Purified Water with Minerals Added	6
Spring Water	7
Purified, Distilled and Spring Water Process	8 - 9
Water Analysis Report	10 -1
Definitions and Statement Required by California Law	14-15
	30.0



Copyright $\textcircled{\sc c}$ 2018 Niagara Bottling, LLC. All rights reserved.



NIAQAIA BOTTLING, LLC

> Niagara Bottling utilizes state of the art purification, filtration and disinfection technologies to produce safe and refreshing products for our customers to enjoy. Niagara Bottling is pleased to provide you this water quality report.

niagara

ATT or (1.65 PD 50

16100010570

NIAQA PURIFIED A

0



History

It all started back in 1963 when Andrew Peykoff Sr. began to bottle high quality, low cost Niagara water in 5 gallon glass containers for home and office delivery. With his insurmountable work ethic, integrity and customer service, Niagara soon became a household name in southern California. The customer base quickly expanded and Niagara started providing single-serve private label bottled water to grocery, club and convenience stores as well as wholesale customers all the while maintaining the family owned-business values.

Over the following decades, Niagara made significant advancements in high speed manufacturing and innovative bottle design; it's no wonder why Niagara is now considered the largest family-owned and operated bottled water company in the United States. The company now has 29 manufacturing facilities and is continuing to grow under the President and CEO, Andy Peykoff II.

Mission Statement

Niagara's mission is to be the premier national bottled water supplier by providing our customers unmatched quality, price, and service. We achieve this through the relentless pursuit of cutting-edge bottling technology, vertical integration and ongoing improvement of process efficiencies. Ultimately our mission can only be obtained through our most important competitive advantage, our people. The hard work, integrity and dedication of every Niagara team member will shape the future success of our company for generations to come.



Sustainability Initiatives

Light Weight Bottles & Vertical Integration

As innovators, Niagara is always looking for ways to improve through technological advancements and processes that help reduce our impact on the environment. Our newest light weight package completely eliminates the need for a cardboard tray and the cases take up less pallet space which allows us to ship more water per order and subsequently reduce our CO_2 emissions.

Since 2008 Niagara has progressively reduced the amount of plastic in the bottles, achieving an average reduction of 31% gram weight in the bottle and over 51% gram weight in the cap. In addition to being lightweight, our bottles and caps are 100% recyclables. Through this optimization and several other initiatives Niagara has achieved:

789 Million Pounds CO₂ Saved since 2008

- Reduced power usage to manufacture the container
 - 38.2% efficiency gains equivalent to over 59 million pounds of CO₂
- Carry more water and less packaging material, and optimized transportation routes
 - Over 205 million pounds of CO₂ saved
- Completely eliminated the use of cardboard tear sheets.
 - Over 37 million pounds of cardboard, equivalent to more than 58 million pounds of CO₂

Our goal is to continue with light weighting and process optimization through innovative science and technology. This is all made possible by our vertically integrated process where bottles are molded into shape and filled all on the same line. Complete process control is easily maintained and constantly improved in our own facilities and according to our process capabilities.



niada



Our Commitment To Quality

All water bottled by Niagara comes from carefully sourced springs, wells and/or municipal water supplies. Each source is tested as it enters our facility to ensure compliance with state and federal regulations. Product is then monitored and tested through the purification and bottling process to ensure we continue to make a consistently high quality product. Screening is conducted for more than 190 chemical attributes as well as physical and flavor characteristics. This level of testing surpasses the requirements set in place by the by the United States Food and Drug Administration (FDA) or the Environmental Protection Agency (EPA).

Audits

All Niagara facilities are audited on a monthly basis by the Niagara Quality Assurance team and on an annual basis by third party auditors such as the National Sanitation Foundation (NSF), FDA and the International Bottled Water Association (IBWA). Additionally, Niagara participates in regular customer audits to ensure compliance with varying customer requirements. These audits help to ensure that the company meets federal and industry standards for sanitation and process controls. For the last six years, all Niagara facilities have been certified as SQF Level 3 through NSF or Eurofins, which is the highest level of certification attainable. SQF level 3 certification is internationally recognized by the Global Food Safety Initiative (GFSI).

Production

Niagara utilizes high speed manufacturing equipment and each production line has the capability to produce 1200 bottles of water per minute. Maintaining quality at such high speeds is critical to our success. This is why Niagara utilizes state of the art technology to continuously perform visual checks during the entire production process. Visual check systems are able to recognize and reject bottles that have defects such as underfilled bottles, mis-aligned caps, improperly aligned labels and much more. The QA team also monitors several aspects of the water purification process on a daily basis to ensure that we are producing a safe and consistent product. On-site QA laboratories ensure that results are obtained quickly.

Certified Plant Operators

Our product quality and overall success depends on the knowledge and strength of our team members. All Quality Assurance team members are required to pass an internationally recognized exam on bottled water manufacturing and quality which is administered by IBWA.





Regulations

With its own set of testing requirements and good manufacturing standards, the bottled water industry is one of the most highly regulated in the United States. Bottled water is regulated by the FDA which is also responsible for regulating the food and pharmaceutical industries. Tap water on the other hand is regulated by the EPA. Under the Safe Drinking Water Act, FDA regulations for bottled water must be at least as stringent as the EPA's Primary Drinking Water Standards (known as Maximum Contaminant Levels). Bottled water is generally required to be tested for the same parameters as tap water, but the standards are, in many cases, stricter than for tap water. Ensuring the safety of the water is our primary objective in providing bottled water products to our customers.

Water Standards of Identity

Since the bottled water industry is regulated by the FDA, they have established standards of identity for several types of bottled water. This ensures that each type of bottled water meets minimum standards. The following are examples of types of bottled water on the market. Niagara currently bottles spring water, purified water and purified water with minerals added.



Spring Water - Bottled water derived from an underground formation from which water flows naturally to the surface of the earth. Spring water can only be collected at the spring or through a borehole tapping the underground formation feeding the spring.

hiada

Purified & Distilled Water - Bottled water that has been produced by distillation, deionization, reverse osmosis or other suitable processes while meeting the definition of purified water in the United States Pharmacopoeia. Other suitable names for bottled water treated by one of the above processes may include "distilled water" if it is produced by distillation, "deionized water" if it is produced by deionization, etc.

Mineral Water - Bottled water containing not less than 250 parts per million total dissolved solids. Mineral water is distinguished from other types of bottled water by its constant level and relative proportions of mineral and trace elements at the point of emergence from the source. No minerals can be added to this product.

Sparkling Bottled Water - Water that after treatment, and possible replacement with carbon dioxide, contains the same amount of carbon dioxide that it had as it emerged from the source. Sparkling bottled waters may be labeled as "sparkling drinking water", "sparkling mineral water", "sparkling spring water", etc.

Artesian water/Artesian Well Water - Bottled water from a well that taps a confined aquifer (a water-bearing underground layer of rock or sand) in which the water level stands at some height above the top of the aquifer.

Well Water - Bottled water from a hole bored, drilled or otherwise constructed in the ground which taps the water aquifer.

Diagonal Strage

Purified Water, Distilled Water and Purified Water with Minerals Added



Each bottle of water begins with a carefully selected well or municipal water source. The water is initially processed using a multi-step filtration process depending on the source. Next, the water is purified using a reverse osmosis or distillation system and then it is disinfected with ozone just prior to bottling.

Our purified with minerals added product has one additional step, just before the water is disinfected with ozone, it is re-mineralized. We use just the right combination of minerals to give the product a smooth and refreshing taste.



Spring Water

Providing great tasting spring water starts with finding the best tasting, highest quality source. All spring sources must undergo an intense inspection before it is approved for use in Niagara products. The sources are inspected by our trained and experienced Quality Assurance staff which includes microbiologists, chemists, and hydro-geologists. During the inspection process, all aspects of the source are examined including security, treatment at the source, water chemistry, and environmental impact.


niaoa

Once a spring is approved for use the spring water is collected and then loaded onto dedicated water tankers and delivered to our bottling facilities.

Water is tested at our facility to assure quality and safety prior to use. It is then filtered down to 0.2 microns and disinfected with ozone just prior to bottling.



Night Entries Spring, Distilled, Purified & Purified with Minerals Added Water Processing



Water Processing

- 1. In the spring water process, water from an approved source is transported to the bottling facility on dedicated water tankers.
- 2. In order for a source to be approved, the water source analytical data and the spring site must be carefully evaluated by our QA team which includes microbiologists, chemists, and hydro-geologists. The quality assurance department frequently collects samples to monitor microbiological and chemical characteristics.
- 3. For all other types of bottled water, the source may be either a municipal or deep protected well which is directly connected to the bottling facility. These sites also go through a similar approval process.
- 4. Depending on the source, the water will be initially processed by carbon filtration, aeration and/ or UV filtration. All water types will then pass through a 0.2 micron pharmaceutical grade filter to remove any microbiological contaminants.
- 5. Purified, purified with minerals and distilled products will then pass through multiple reverse osmosis units. These high pressure pumps and semi-permeable membranes are used to remove all remaining impurities.
- 6. In the distilled process, the water from the reverse osmosis units will then pass through the distiller where the evaporation and subsequent collection of water by condensation is an addition purification step.
- 7. Once the water has been processed by filtration and reverse osmosis it will then be stored temporarily in storage silo ready for sanitizing and bottling. Each manufacturing facility has separate silos dedicated to each water type.
- 8. All waters are sanitized by ozone. Ozone is a specialized molecule consisting of pure oxygen which is highly effective at sanitizing water. This process is continuously monitored by the Quality Assurance department.
- 9. Purified water with minerals added products must go through an additional re-mineralization step that occurs just after ozone contact tank.
- 10. Bottles are now ready to be filled and labeled. State of the art bottling equipment is used to bottle the finished product. Each bottle is given a unique code to identify the bottling plant, production line, time and date.
- 11. Products are given one final check for quality assurance prior to shipping and retain samples are collected daily for each production run. These samples are analyzed by our internal lab to ensure adherence to company specifications and standards. Some samples are also sent out to third party labs to ensure compliance with state and federal regulatory standards.

				Water Type		
				Purified & Distilled Water	Purified Water with Minerals added for Taste	Spring Water
Substance	Units	MDL*	MCL**		Level Found***	
Physical Quality			•			
Alkalinity in CaCO3 units	mg/L	2	NR	ND	10	63
Apparent Color	ACU	3	15	ND	ND	ND
Specific Conductance, 25 C	umho/cm	2	1600	5	50	180
Total Hardness	mg/L CaCO3	3	NR	ND	7	74
Odor at 60 C	TON	1	3	2	2	2
Total Dissolved Solids (TDS) 0	mg/L	10	500	ND	32	112
Turbidity	NTU	0.1	5	ND	ND	ND
PH ◊	Units	0.1	6.5 - 8.5	6.1	6.8	6.9
Bicarb.Alkalinity	mg/L HCO3	2	NR	ND	12.5	76.2
Disinfect. residuals/ By Products						
Bromate	mg/L	0.001	0.01	ND	ND	0.003
Chloramines	mg/L	0.1	4	ND	ND	ND
Chlorite by IC	mg/L	0.01	1	ND	ND	ND
Chlorine Dioxide	mg/L	0.24	0.8	ND	ND	ND
Free Chlorine Residual	mg/L	0.1	4	ND	ND	ND
Radiologicals						
Alpha, Gross	pCi/L	3	15	ND	ND	ND
Beta, Gross	pCi/L	3	50‡	ND	5	ND
Total Radium 226+228	pCi/L	1	5	ND	ND	ND
Uranium	mg/L	0.001	0.03	ND	ND	ND
Inorganic Chemicals						
Aluminum	mg/L	0.02	0.2	ND	ND	0.006
Antimony	mg/L	0.001	0.006	ND	ND	ND
Arsenic	mg/L	0.001	0.01	ND	ND	0.001
Barium	mg/L	0.002	2	ND	ND	0.03
Beryllium	mg/L	0.001	0.004	ND	ND	ND
Cadmium	mg/L	0.0005	0.005	ND	ND	ND
Calcium	mg/L	1	NR	ND	2.69	19.46

NIAQATA BOTTLING, LLC



SubstanceUnitsMDL*MCL**Purified Water with DistiliedSubjectSubstancemgL1250ND6.299.08ChioridemgL0.0010.11NDNDNDCoppermgL0.0021NDNDNDCyanidemgL0.0250.22NDNDNDCyanidemgL0.0260.23NDNDNDFluoridemgL0.0260.05NDNDNDIonmgL0.0050.005NDNDNDLeadmgL0.0050.005NDNDNDMagnesiummgL0.0020.05NDNDNDMagnesiummgL0.0020.05NDNDNDMikelmgL0.0020.05NDNDNDNikelmgL0.0051NDNDNDNikelmgL0.0051NDNDNDNikelmgL0.0051NDNDNDNikelmgL0.0050.05NDNDNDNikelmgL0.0050.05NDNDNDNikelmgL0.0050.05NDNDNDNikelmgL0.0050.05NDNDNDNikelmgL0.0050.05NDNDNDNikelmgL0.0050.05NDNDND <tr< th=""><th></th><th></th><th></th><th></th><th colspan="4">Water Type</th></tr<>					Water Type			
MargleMagle1250ND6.299.08Chromiummg/L0.0010.11NDNDNDCoppermg/L0.0021NDNDNDCyanidemg/L0.0250.2NDNDNDFluoridemg/L0.0250.2NDND0.12Ironmg/L0.020.3NDNDND0.12Ironmg/L0.020.33NDNDND0.11Leadmg/L0.020.05NDND0.01Magnesiummg/L0.0020.05NDND0.01Magnesiummg/L0.0020.02NDND0.01Marcurymg/L0.0020.02NDNDNDNitate as Nitrogenmg/L0.0010.01NDND1.10Nitrate as Nitrogenmg/L0.0010.01NDNDNDSeleniummg/L0.0051NDNDNDNDSolummg/L0.0050.05NDNDNDNDSolummg/L0.0050.05NDNDNDNDSolummg/L0.010.02NDNDNDNDSolummg/L0.050.05NDNDNDNDSolummg/L0.050.05NDNDNDNDSolummg/L0.0050.05NDND					Distilled	Minerals added for		
Chromium mgl 0.001 0.1 ND ND Copper mgl. 0.002 1 ND ND ND Cyanide mgl. 0.025 0.2 ND ND ND Flucride mgl. 0.05 1.4 ND ND ND Flucride mgl. 0.02 0.3 ND ND ND Lead mgl. 0.002 0.3 ND ND ND Magnessium mgl. 0.1 NR ND 0.11 6.41 Marganese mgl. 0.002 0.05 ND ND 0.01 Nickel mgl. 0.002 0.02 ND ND ND Nitre as Nirogen mgl. 0.1 10 ND ND ND Phenoic Compounds-low level mgl. 0.05 1 ND ND ND Steinum mgl. 0.005 0.11 ND ND ND <th>Substance</th> <th>Units</th> <th>MDL*</th> <th>MCL**</th> <th></th> <th>Level Found***</th> <th></th>	Substance	Units	MDL*	MCL**		Level Found***		
Copper mg/L 0.002 1 ND ND ND Cyanide mg/L 0.025 0.2 ND ND ND Fluoride mg/L 0.055 1.4 ND ND ND Fluoride mg/L 0.02 0.3 ND ND ND Lead mg/L 0.02 0.3 ND ND ND Magnesse mg/L 0.01 NR ND 0.01 6.41 Manganese mg/L 0.002 0.05 ND ND 0.01 Nickel mg/L 0.005 0.1 ND ND ND Nitre as Nitrogen mg/L 0.05 1 ND ND ND Nitre Nitrogen mg/L 0.01 0.01 ND ND ND Selenium mg/L 0.01 0.01 ND ND ND Solitaré mg/L 0.01 0.01 ND ND ND <td>Chloride</td> <td>mg/L</td> <td>1</td> <td>250</td> <td>ND</td> <td>6.29</td> <td>9.08</td>	Chloride	mg/L	1	250	ND	6.29	9.08	
Cyanide mg/L 0.025 0.2 ND ND ND Fluoride mg/L 0.05 1.4 ND ND 0.12 Iron mg/L 0.02 0.3 ND ND ND Lead mg/L 0.0005 0.005 ND ND ND Magnese mg/L 0.1 NR ND 0.11 6.41 Magnese mg/L 0.002 0.05 ND ND 0.01 Mercury mg/L 0.002 0.05 ND ND ND Nitate as Nitrogen mg/L 0.05 1 ND ND ND Nitrate as Nitrogen mg/L 0.01 0.001 ND ND ND Potassium mg/L 0.01 0.001 ND ND ND Selenium mg/L 0.005 0.11 ND ND ND Silver mg/L 0.005 0.55 ND ND	Chromium	mg/L	0.001	0.1	ND	ND	ND	
Lonide mg/L 0.01 1.4 ND ND 0.12 Iron mg/L 0.02 0.3 ND ND ND Lead mg/L 0.0005 0.005 ND ND ND Magnesium mg/L 0.11 NR ND 0.11 6.41 Marganese mg/L 0.002 0.05 ND ND 0.01 Mercury mg/L 0.002 0.05 ND ND ND Nitate as Nitrogen mg/L 0.11 10 ND ND ND Nitrate as Nitrogen mg/L 0.01 0.01 ND ND ND Phenolic Compounds-low level mg/L 0.01 0.001 ND ND ND ND Selenium mg/L 0.005 0.11 ND ND ND Soldum mg/L 0.005 0.14 ND ND ND Soldum mg/L 0.005 0.10	Copper	mg/L	0.002	1	ND	ND	ND	
Ironmg/L0.020.3NDNDNDLeadmg/L0.00050.005NDNDNDNDMagnesiummg/L0.11NRND0.116.41Maganesemg/L0.0020.05NDND0.01Mercurymg/L0.0020.002NDNDNDNickelmg/L0.0050.11NDNDNDNitre as Nitrogenmg/L0.0110NDNDNDPhenolic Compounds-low levelmg/L0.0010.01NDNDNDSeleniummg/L0.0050.01NDNDNDSoldurmg/L0.0050.01NDNDNDSoldurmg/L0.0050.01NDNDNDSoldurmg/L0.0050.01NDNDNDSoldurmg/L0.0050.01NDNDNDSulfate \diamond mg/L0.0010.002NDNDNDTotal Nitrate+Nitrice-Nitrogenmg/L0.010.002NDNDNDJinmg/L0.0050.02NDNDNDNDJinmg/L0.0050.005NDNDNDNDSoldurmg/L0.0050.005NDNDNDNDSoldurmg/L0.0050.005NDNDNDNDIntaliummg/L0.0050.005ND <t< td=""><td>Cyanide</td><td>mg/L</td><td>0.025</td><td>0.2</td><td>ND</td><td>ND</td><td>ND</td></t<>	Cyanide	mg/L	0.025	0.2	ND	ND	ND	
Lead mg/L 0.0005 0.005 ND ND ND Magnesium mg/L 0.1 NR ND 0.11 6.41 Magnese mg/L 0.002 0.05 ND ND 0.01 Mercury mg/L 0.002 0.02 ND ND ND Nickel mg/L 0.005 0.1 ND ND ND Nitrate as Nitrogen mg/L 0.1 10 ND ND ND Nitrate is Nitrogen mg/L 0.05 1 ND ND ND Phenolic Compounds-low level mg/L 0.01 0.001 ND ND ND Selenium mg/L 0.005 0.05 ND ND ND Soliwer mg/L 0.005 0.05 ND ND ND Solium mg/L 0.005 0.1 ND ND ND Solium mg/L 0.001 0.002 ND	Fluoride	mg/L	0.05	1.4	ND	ND	0.12	
Magnesium mg/L 0.1 NR ND 0.11 6.41 Manganese mg/L 0.002 0.05 ND ND 0.01 Mercury mg/L 0.002 0.02 ND ND ND Nickel mg/L 0.005 0.1 ND ND ND Nitrate as Nitrogen mg/L 0.11 10 ND ND ND Nitrite Nitrogen mg/L 0.05 1 ND ND ND Phenolic Compounds-low level mg/L 0.001 0.001 ND ND ND Selenium mg/L 0.005 0.1 ND ND ND Silver mg/L 0.005 0.1 ND ND ND Solium mg/L 0.005 0.1 ND ND ND Solium mg/L 0.005 0.1 ND ND ND Solium mg/L 0.01 0.002 ND	Iron	mg/L	0.02	0.3	ND	ND	ND	
Marganese mg/L 0.002 0.05 ND ND 0.01 Marganese mg/L 0.002 0.002 ND ND ND Nickel mg/L 0.005 0.1 ND ND ND Nitrate as Nitrogen mg/L 0.1 10 ND ND ND Nitrate as Nitrogen mg/L 0.05 1 ND ND ND Phenolic Compounds-low level mg/L 0.001 0.001 ND ND ND Potassium mg/L 0.005 0.05 ND ND ND Selenium mg/L 0.005 0.05 ND ND ND Silver mg/L 0.005 0.1 ND ND ND Sodium mg/L 0.005 0.1 ND ND ND Sodium mg/L 0.001 0.002 ND ND ND Soldum mg/L 0.001 0.002 ND	Lead	mg/L	0.0005	0.005	ND	ND	ND	
Mercury mg/L 0.0002 0.002 ND ND ND Nickel mg/L 0.005 0.1 ND ND ND Nitrate as Nitrogen mg/L 0.1 10 ND ND ND Nitrite Nitrogen mg/L 0.05 1 ND ND ND Phenolic Compounds-low level mg/L 0.001 0.001 ND ND ND Selenium mg/L 1 NR ND S.7.3 ND Silver mg/L 0.005 0.05 ND ND ND Sodium mg/L 0.005 0.1 ND 2.43 6.02 Sulfate ◊ mg/L 0.005 250 ND ND ND Sodium mg/L 0.001 0.002 ND ND ND Sulfate ◊ mg/L 0.001 0.002 ND ND ND Total Nitrate+Nitrite-Nitrogen mg/L 0.005 0.2	Magnesium	mg/L	0.1	NR	ND	0.11	6.41	
Nickel mg/L 0.005 0.1 ND ND ND Nitrate as Nitrogen mg/L 0.1 10 ND ND ND ND Nitrite Nitrogen mg/L 0.05 1 ND ND ND ND Phenolic Compounds-low level mg/L 0.001 0.001 ND ND ND Potassium mg/L 1 NR ND 5.73 ND Selenium mg/L 0.005 0.05 ND ND ND Silver mg/L 0.005 0.1 ND ND ND Sodium mg/L 0.005 0.1 ND ND ND Sulfate \diamond mg/L 0.55 250 ND ND ND Total Nitrate+Nitrite-Nitrogen mg/L 0.01 0.002 ND ND ND Intallium mg/L 0.02 5 ND ND ND Total Nitrate+Nitrite-Nitrogen mg/	Manganese	mg/L	0.002	0.05	ND	ND	0.01	
Nitrate as Nitrogen mg/L 0.1 10 ND ND 1.10 Nitrite Nitrogen mg/L 0.05 1 ND ND ND Phenolic Compounds-low level mg/L 0.001 0.001 ND ND ND Potassium mg/L 1 NR ND 5.73 ND Selenium mg/L 0.005 0.05 ND ND ND Silver mg/L 0.005 0.1 ND ND ND Sodium mg/L 0.005 0.1 ND ND ND Solitate ◊ mg/L 0.005 0.1 ND ND 6.02 Sulfate ◊ mg/L 0.001 0.002 ND ND ND Total Nitrate+Nitrite-Nitrogen mg/L 0.01 10 ND ND ND I,1.1-Trichloroethane mg/L 0.0005 12 ND ND ND I,1.2-Terichloroethane mg/L 0.0005<	Mercury	mg/L	0.0002	0.002	ND	ND	ND	
Nitrite Nitrogen mg/L 0.05 1 ND ND ND Phenolic Compounds-low level mg/L 0.001 0.001 ND ND ND Potassium mg/L 1 NR ND 5.73 ND Selenium mg/L 0.005 0.05 ND ND ND Silver mg/L 0.005 0.1 ND ND ND Sodium mg/L 1 NR ND 2.43 6.02 Sulfate ◊ mg/L 0.55 250 ND ND ND Total Nitrate+Nitrite-Nitrogen mg/L 0.01 0.002 ND ND ND Zinc mg/L 0.11 10 ND ND ND 1,1,1-Trichloroethane mg/L 0.02 5 ND ND ND 1,1,2-Tetrachloroethane mg/L 0.005 0.2 ND ND ND 1,1,2-Trichloroethane mg/L 0.005	Nickel	mg/L	0.005	0.1	ND	ND	ND	
Phenolic Compounds-Iow level mg/L 0.001 0.001 ND ND Potassium mg/L 1 NR ND 5.73 ND Selenium mg/L 0.005 0.05 ND ND ND Silver mg/L 0.005 0.1 ND ND ND Sodium mg/L 0.005 0.1 ND ND ND Sodium mg/L 1 NR ND 2.43 6.02 Sulfate ◊ mg/L 0.5 250 ND ND ND Solium mg/L 0.01 0.002 ND ND 6.21 Sulfate ◊ mg/L 0.01 0.002 ND ND ND Total Nitrate+Nitrice-Nitrogen mg/L 0.11 10 ND ND ND Zinc mg/L 0.002 5 ND ND ND 1,1.1-Trichloroethane mg/L 0.0005 0.2 ND ND <td>Nitrate as Nitrogen</td> <td>mg/L</td> <td>0.1</td> <td>10</td> <td>ND</td> <td>ND</td> <td>1.10</td>	Nitrate as Nitrogen	mg/L	0.1	10	ND	ND	1.10	
Potassium mg/L 1 NR ND 5.73 ND Selenium mg/L 0.005 0.05 ND ND ND Silver mg/L 0.0005 0.1 ND ND ND Sodium mg/L 1 NR ND 2.43 6.02 Sulfate ◊ mg/L 0.5 250 ND ND ND Sulfate ◊ mg/L 0.5 250 ND ND 6.21 Thallium mg/L 0.01 0.002 ND ND ND Total Nitrate+Nitrite- Nitrogen mg/L 0.01 10 ND ND ND Zinc mg/L 0.02 5 ND ND ND 1,1,1-Trichloroethane mg/L 0.0005 0.22 ND ND ND 1,1,2-Zretrachloroethane mg/L 0.0005 0.22 ND ND ND 1,12-Zrichloroethane mg/L 0.0005 0.05	Nitrite Nitrogen	mg/L	0.05	1	ND	ND	ND	
Selenium mg/L 0.005 0.05 ND ND ND Silver mg/L 0.0005 0.1 ND ND ND Sodium mg/L 1 NR ND 2.43 6.02 Sulfate ◊ mg/L 0.55 250 ND ND 6.21 Sulfate ◊ mg/L 0.55 250 ND ND 6.21 Thallium mg/L 0.001 0.002 ND ND 6.21 Total Nitrate+Nitrite-Nitrogen mg/L 0.11 10 ND ND ND Zinc mg/L 0.02 5 ND ND ND 1,1.1-Trichloroethane mg/L 0.0005 0.2 ND ND ND 1,1.2-Zrietrachloroethane mg/L 0.0005 1‡ ND ND ND 1,1.2-Trichloroethane mg/L 0.0005 0.007 ND ND ND 1,2.4-Trichlorobenzene mg/L 0.0005	Phenolic Compounds-low level	mg/L	0.001	0.001	ND	ND	ND	
Silver mg/L 0.0005 0.1 ND ND ND Sodium mg/L 1 NR ND 2.43 6.02 Sulfate ◊ mg/L 0.5 250 ND ND 6.21 Thallium mg/L 0.5 250 ND ND 6.21 Thallium mg/L 0.001 0.002 ND ND 0.21 Total Nitrate+Nitrite-Nitrogen mg/L 0.11 10 ND ND ND Zinc mg/L 0.02 5 ND ND ND 1,1,1-Trichloroethane mg/L 0.0005 0.2 ND ND ND 1,1,2-Zretrachloroethane mg/L 0.0005 1‡ ND ND ND 1,1,2-Trichloroethane mg/L 0.0005 0.007 ND ND ND 1,2,4-Trichloroethane mg/L 0.0005 0.007 ND ND ND 1,2-Dichloroethane mg/L 0.0005<	Potassium	mg/L	1	NR	ND	5.73	ND	
Sodium mg/L 1 NR ND 2.43 6.02 Sulfate ◊ mg/L 0.5 250 ND ND 6.21 Thallium mg/L 0.001 0.002 ND ND ND Total Nitrate+Nitrite-Nitrogen mg/L 0.11 10 ND ND ND Zinc mg/L 0.02 5 ND ND ND Organic Chemicals mg/L 0.005 0.2 ND ND ND 1,1,1-Trichloroethane mg/L 0.0005 0.2 ND ND ND 1,1,2-Tetrachloroethane mg/L 0.0005 1‡ ND ND ND 1,1,2-Trichloroethane mg/L 0.0005 0.005 ND ND ND 1,1-Dichloroethylene mg/L 0.0005 0.007 ND ND ND 1,2-A-Trichloroethane mg/L 0.0005 0.07 ND ND ND 1,2-Dichloropenpane mg/L <td>Selenium</td> <td>mg/L</td> <td>0.005</td> <td>0.05</td> <td>ND</td> <td>ND</td> <td>ND</td>	Selenium	mg/L	0.005	0.05	ND	ND	ND	
Sulfate ◊ mg/L 0.5 250 ND ND 6.21 Thallium mg/L 0.001 0.002 ND ND ND Total Nitrate+Nitride-Nitrogen mg/L 0.11 10 ND ND 1.10 Zinc mg/L 0.02 5 ND ND ND Organic Chemicals mg/L 0.005 0.2 ND ND ND 1,1,2-Trichloroethane mg/L 0.005 1‡ ND ND ND 1,1,2-Trichloroethane mg/L 0.005 1‡ ND ND ND 1,1,2-Trichloroethane mg/L 0.005 0.005 ND ND ND 1,1-Dichloroethane mg/L 0.0005 0.007 ND ND ND 1,2,4-Trichloroethane mg/L 0.0005 0.07 ND ND ND 1,2-Dichloroethane mg/L 0.0005 0.07 ND ND ND 1,2-Dichloropenpane <t< td=""><td>Silver</td><td>mg/L</td><td>0.0005</td><td>0.1</td><td>ND</td><td>ND</td><td>ND</td></t<>	Silver	mg/L	0.0005	0.1	ND	ND	ND	
Thallium mg/L 0.001 0.002 ND ND ND Total Nitrate+Nitrite-Nitrogen mg/L 0.1 10 ND ND 1.10 Zinc mg/L 0.1 10 ND ND ND Organic Chemicals mg/L 0.02 5 ND ND ND 1,1,1-Trichloroethane mg/L 0.0005 0.2 ND ND ND 1,1,2-Tetrachloroethane mg/L 0.0005 1‡ ND ND ND 1,1,2-Trichloroethane mg/L 0.0005 0.005 ND ND ND 1,1,2-Trichloroethane mg/L 0.0005 0.005 ND ND ND 1,1,2-Trichloroethane mg/L 0.0005 0.007 ND ND ND 1,1-Dichloroethylene mg/L 0.0005 0.007 ND ND ND 1,2-Dichloroethane mg/L 0.0005 0.005 ND ND ND 1,2-Dichloroeth	Sodium	mg/L	1	NR	ND	2.43	6.02	
Total Nitrate+Nitrite- Nitrogen mg/L 0.1 10 ND ND 1.10 Zinc mg/L 0.02 5 ND ND ND Organic Chemicals mg/L 0.005 0.2 ND ND ND 1,1,1-Trichloroethane mg/L 0.0005 0.2 ND ND ND 1,1,2-Trichloroethane mg/L 0.0005 1‡ ND ND ND 1,1,2-Trichloroethane mg/L 0.0005 0.005 ND ND ND 1,1,2-Trichloroethane mg/L 0.0005 0.005 ND ND ND 1,1,2-Trichloroethane mg/L 0.0005 0.007 ND ND ND 1,1-Dichloroethylene mg/L 0.0005 0.07 ND ND ND 1,2-Jichloroethane mg/L 0.0005 0.005 ND ND ND 1,2-Dichloropropane mg/L 0.0005 0.005 ND ND ND	Sulfate 👌	mg/L	0.5	250	ND	ND	6.21	
Zincmg/L0.025NDNDNDOrganic Chemicals1,1,1-Trichloroethanemg/L0.00050.2NDNDND1,1,2,2-Tetrachloroethanemg/L0.00051‡NDNDND1,1,2-Trichloroethanemg/L0.00050.005NDNDND1,1,2-Trichloroethanemg/L0.00050.007NDNDND1,1-Dichloroethylenemg/L0.00050.007NDNDND1,2,4-Trichloroethanemg/L0.00050.007NDNDND1,2-Dichloroethanemg/L0.00050.005NDNDND1,2-Dichloropropanemg/L0.00050.005NDNDND	Thallium	mg/L	0.001	0.002	ND	ND	ND	
Organic Chemicals1,1,1-Trichloroethanemg/L0.00050.2NDNDND1,1,2,2-Tetrachloroethanemg/L0.00051‡NDNDND1,1,2-Trichloroethanemg/L0.00050.005NDNDND1,1-Dichloroethylenemg/L0.00050.007NDNDND1,2,4-Trichlorobenzenemg/L0.00050.007NDNDND1,2-Dichloroethanemg/L0.00050.005NDNDND1,2-Dichloropropanemg/L0.00050.005NDNDND	Total Nitrate+Nitrite- Nitrogen	mg/L	0.1	10	ND	ND	1.10	
1,1,1-Trichloroethane mg/L 0.0005 0.2 ND ND ND 1,1,2,2-Tetrachloroethane mg/L 0.0005 1‡ ND ND ND 1,1,2-Trichloroethane mg/L 0.0005 0.005 ND ND ND 1,1,2-Trichloroethane mg/L 0.0005 0.005 ND ND ND 1,1-Dichloroethylene mg/L 0.0005 0.007 ND ND ND 1,2,4-Trichlorobenzene mg/L 0.0005 0.07 ND ND ND 1,2-Dichloroethane mg/L 0.0005 0.005 ND ND ND 1,2-Dichloroperpane mg/L 0.0005 0.005 ND ND ND	Zinc	mg/L	0.02	5	ND	ND	ND	
International Instruction Instruction	Organic Chemicals							
1,1,2-Trichloroethane mg/L 0.0005 0.005 ND ND ND 1,1-Dichloroethylene mg/L 0.0005 0.007 ND ND ND 1,2,4-Trichlorobenzene mg/L 0.0005 0.07 ND ND ND 1,2-Dichloroethane mg/L 0.0005 0.005 ND ND ND 1,2-Dichloroptopane mg/L 0.0005 0.005 ND ND ND	1,1,1-Trichloroethane	mg/L	0.0005	0.2	ND	ND	ND	
1,1-Dichloroethylene mg/L 0.0005 0.007 ND ND ND 1,2,4-Trichlorobenzene mg/L 0.0005 0.07 ND ND ND 1,2-Dichloroethane mg/L 0.0005 0.005 ND ND ND 1,2-Dichloropropane mg/L 0.0005 0.005 ND ND ND	1,1,2,2-Tetrachloroethane	mg/L	0.0005	1‡	ND	ND	ND	
1,2,4-Trichlorobenzene mg/L 0.0005 0.07 ND ND ND 1,2-Dichloropropane mg/L 0.0005 0.005 ND ND ND	1,1,2-Trichloroethane	mg/L	0.0005	0.005	ND	ND	ND	
1,2-Dichloroethane mg/L 0.0005 0.005 ND ND ND 1,2-Dichloropropane mg/L 0.0005 0.005 ND ND ND	1,1-Dichloroethylene	mg/L	0.0005	0.007	ND	ND	ND	
1,2-Dichloroethane mg/L 0.0005 0.005 ND ND ND 1,2-Dichloropropane mg/L 0.0005 0.005 ND ND ND	1,2,4-Trichlorobenzene	mg/L	0.0005	0.07	ND	ND	ND	
1,2-Dichloropropane mg/L 0.0005 0.005 ND ND ND				0.005		ND	ND	
	1,2-Dichloropropane	-	0.0005	0.005	ND	ND	ND	
	2,3,7,8-TCDD	mg/L	5 x 10-9	3 x 10-8	ND	ND	ND	
2,4,5-TP (Silvex) mg/L 0.0002 0.05 ND ND ND	2,4,5-TP (Silvex)		0.0002	0.05	ND	ND	ND	
2,4-D mg/L 0.0001 0.07 ND ND ND	2,4-D			0.07	ND	ND	ND	
Alachlor mg/L 0.0001 0.002 ND ND ND	Alachlor	mg/L	0.0001	0.002	ND	ND	ND	

				Water Type		
				Purified & Distilled Water	Purified Water with Minerals added for Taste	Spring Water
Substance	Units	MDL*	MCL**		Level Found***	
Atrazine	ug/L	0.05	3	ND	ND	ND
Bentazon	mg/L	0.0005	0.018‡	ND	ND	ND
Benzene	mg/L	0.0005	0.005	ND	ND	ND
Benzo(a)pyrene	ug/L	0.02	0.2	ND	ND	ND
Carbofuran (Furadan)	mg/L	0.0005	0.04	ND	ND	ND
Carbon Tetrachloride	mg/L	0.0005	0.005	ND	ND	ND
Chlordane	mg/L	0.0001	0.002	ND	ND	ND
Chlorobenzene	mg/L	0.0005	0.1	ND	ND	ND
cis-1,2-Dichloroethylene	mg/L	0.0005	0.07	ND	ND	ND
Dalapon	mg/L	0.001	0.2	ND	ND	ND
Di-(2-Ethylhexyl)adipate	mg/L	0.0006	0.4	ND	ND	ND
Di(2-Ethylhexyl)phthalate	mg/L	0.0006	0.006	ND	ND	ND
Dibromochloropropane (DBCP)	ug/L	0.01	0.2	ND	ND	ND
Dichloromethane	mg/L	0.0005	0.005	ND	ND	ND
Dinoseb	mg/L	0.0002	0.007	ND	ND	ND
Diquat	mg/L	0.0004	0.02	ND	ND	ND
Endothall	mg/L	0.005	0.1	ND	ND	ND
Endrin	ug/L	0.01	2	ND	ND	ND
Ethylbenzene	mg/L	0.0005	0.7	ND	ND	ND
Ethylene Dibromide (EDB)	ug/L	0.01	0.05	ND	ND	ND
Glyphosate	mg/L	0.006	0.7	ND	ND	ND
Heptachlor	ug/L	0.01	0.4	ND	ND	ND
Heptachlor Epoxide	ug/L	0.01	0.2	ND	ND	ND
Hexachlorobenzene	ug/L	0.05	1	ND	ND	ND
Hexachlorocyclopentadiene	ug/L	0.05	50	ND	ND	ND
Lindane	ug/L	0.01	0.2	ND	ND	ND
Methoxychlor	ug/L	0.05	40	ND	ND	ND
o-Dichlorobenzene (1,2-DCB)	mg/L	0.0005	0.6	ND	ND	ND
Oxamyl (Vydate)	mg/L	0.0005	0.2	ND	ND	ND
p-Dichlorobenzene (1,4-DCB)	mg/L	0.0005	0.075	ND	ND	ND
Pentachlorophenol	ug/L	0.04	1	ND	ND	ND
Picloram	mg/L	0.0001	0.5	ND	ND	ND
Simazine	ug/L	0.05	4	ND	ND	ND
Styrene	mg/L	0.0005	0.1	ND	ND	ND
Tetrachloroethylene (PCE)	mg/L	0.0005	0.005	ND	ND	ND

niagara Bottling, LLC



				Water Type		
				Purified & Distilled Water	Purified Water with Minerals added for Taste	Spring Water
Substance	Units	MDL*	MCL**		Level Found***	
Toluene	mg/L	0.0005	1	ND	ND	ND
Total Haloacetic Acids (HAA5)	mg/L	0.002	0.06	ND	ND	ND
Total PCBs	mg/L	0.0001	0.0005	ND	ND	ND
Total THM	mg/L	0.0005	0.01‡	0.0005	0.0006	ND
Total xylenes	mg/L	0.0005	10	ND	ND	ND
Toxaphene	mg/L	0.0005	0.003	ND	ND	ND
trans-1,2-Dichloroethylene	mg/L	0.0005	0.1	ND	ND	ND
Trichloroethylene (TCE)	mg/L	0.0005	0.005	ND	ND	ND
Vinyl chloride (VC)	mg/L	0.0003	0.002	ND	ND	ND

Secondary Standard. Non-enforceable guidelines regulating contaminants that may cause aesthetic or cosmetic effects in drinking water.

NR- Not listed in state or federal drinking water regulations.

* MDL – Method Detection Limit. The values reflect the lowest concentration of each substance that can be accurately quantified by the applicable testing method.

** MCL – Maximum Contaminant Level. The highest level of a substance allowed by law in drinking water (bottled or tap). The MCLs shown are the federal MCLs set by the EPA and FDA, unless no federal MCL exists.

*** Level Found - Average of representative samples from all locations.

‡ Where no federal MCL exists the MCLs shown are the California Health Services MCLs.



Definitions & Statements Required by California Law

Definitions

"statement of quality" – The standard (statement) of quality for bottled water is the highest level of a contaminant that is allowed in a container of bottled water, as established by the United States Food and Drug Administration (FDA) and the California Department of Public Health. The standards can be no less protective of public health than the standards for public drinking water, established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health.

"maximum contaminant level (MCL)" - The highest level of a contaminant that is allowed in drinking water, established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health. Primary MCLs are set as close to the PHGs as is economically and technologically feasible.

"public health goal (PHG)" - The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

"primary drinking water standard (PDWS)" -MCLs for contaminants established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Statements

This section of the bottled water report contains consumer information statements relative to drinking water as mandated by California Health & Safety Code Sector 111070 et. seq. These statements are immediately followed by the appropriate current contact information for the United States regulatory branch pertaining to the specified statements where applicable. Our product has been thoroughly tested in accordance with federal and California law. Our bottled water is a food product and can not be sold unless it meets the standards established by the U.S. Food and Drug Administration and the California Department of Public Health.

"Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk.

More information about contaminants and potential health effects can be obtained by calling the United States Food and Drug Administration, Food and Cosmetic Hotline (1-888-723-3366)." "Some persons may be more vulnerable to contaminants in drinking water than the general population. Immune-compromised persons, including, but not limited to, persons with cancer who are undergoing Chemotherapy, persons who have undergone organ transplants, persons with HIV/AIDS or other immune system disorders, some elderly persons, and infants can be particularly at risk from infections. These persons should seek advice about drinking water from their health care providers. The United States Environmental Protection Agency and the Centers for Disease Control and Prevention guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791)."

"The sources of bottled water include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water naturally travels over the surface of the land or through the ground, it can pick up naturally occurring substances as well as substances that are present due to animal and human activity."

"Substances that may be present in the source water include any of the following:

- 1. Inorganic substances, including, but not limited to, salts and metals, that can be naturally occurring or result from farming, urban storm water runoff, industrial or domestic wastewater discharges, or oil and gas production.
- 2. Pesticides and herbicides that may come from a variety of sources, including, but not limited to, agriculture, urban storm water runoff, and residential uses.
- 3. Organic substances that are byproducts of industrial processes and petroleum production and can also come from gas stations, urban storm water runoff, agricultural application, and septic systems.
- 4. Microbial organisms that may come from wildlife, agricultural livestock operations, sewage treatment plants, and septic systems.
- 5. Substances with radioactive properties that can be naturally occurring or be the result of oil and gas production and mining activities."

Definitions & Statements Required by California Law

Information on Contaminants

In order to ensure that bottled water is safe to drink, the United States Food and Drug Administration and the State Department of Public Health prescribe regulations that limit the amount of certain contaminants in water provided by bottled water companies. More information about contaminants can be obtained by calling the United States Food and Drug Administration, Food and Cosmetic Hotline at 1-888-723-3366.

FDA Website for Product Recalls

If you would like to know whether a particular bottled water product has been or is being recalled, please visit the FDA's website at: http://www.fda.gov/opacom/7alerts.html.



niaga