Corporate Headquarters 6571 Wilson Mills Road Cleveland, Ohio 44143

Phone: 800-458-3330

This report package contains 15 pages

This package contains reports from the following laboratories:

- National Testing Laboratories, Ltd. (9 pages)
- Pace Analytical Services, Inc.-Greensburg, PA (1 page)
- EMSL Analytical, Inc. (1 page)
- Eurofins Eaton Analytical, Inc. (3 pages)

If you have any questions, please contact Susan Henderson at 1-800-458-3330.



#### Laboratory ID: C-036

# **National Testing Laboratories, Ltd**

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

#### **ANALYTICAL REPORTS**

SAMPLE CODE: 388272 1/10/2019

**Customer: Piedmont Springs** 

Lang Adler 6553 Warren Drive Norcross, GA 30093 Source:

**Gwinnett County Municipal** 

**Source Type:** 

Municipal Water

Piedmont Springs Purified Water **Brand Name:** 

**Production Code: 11/2/18** Container Size: 500 ml.

Date/Time Received:

11/15/2018 09:35

Collected by:

D. Basler

The results herein conform to TNI and ISO/IEC 17025:2005 standards, where applicable. These results may be used for compliance purposes, as required, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

Any 'Level Detected' marked with an asterisk (\*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

"ND"

This contaminant was not detected at or above our lower reporting limit (LRL)

"NA"

"LRL"

Not Analyzed

"Standard"

This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA

Secondary Standards.

This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant.

"DF" This column indicates the contaminant dilution factor.

#### **Report Notes:**

pH analysis has a 15 minute hold time from sampling to analysis. Analysis of pH past the 15 minute hold time should be considered an estimate. In addition, Chlorine, Chloramine and Chlorine Dioxide hold time is immediate, therefore results should be considered an estimate.

Fed Id#	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled		Date Prepped	Date/Time Analyzed
				Inorgai	nic Analy	tes - Metals					
1002	Aluminum	200.7	0.2	mg/L	0.05	ND	1	12/3/2018	15:17		12/6/2018
1074	Antimony	200.8	0.006	mg/L	0.003	ND	1	12/3/2018	15:17		12/10/2018
1005	Arsenic	200.8	0.010	mg/L	0.002	ND	1	12/3/2018	15:17		12/10/2018
1010	Barium	200.7	2	mg/L	0.10	ND	1	12/3/2018	15:17		12/6/2018
1075	Beryllium	200.7	0.004	mg/L	0.001	ND	1	12/3/2018	15:17		12/6/2018
1079	Boron	200.7		mg/L	0.10	ND	1	12/3/2018	15:17		12/6/2018
1015	Cadmium	200.7	0.005	mg/L	0.001	ND	1	12/3/2018	15:17		12/6/2018
1016	Calcium	200.7		mg/L	2.0	ND	1	12/3/2018	15:17		12/6/2018
1020	Chromium	200.7	0.100	mg/L	0.007	ND	1	12/3/2018	15:17		12/6/2018
1022	Copper	200.7	1.0	mg/L	0.002	ND	1	12/3/2018	15:17		12/6/2018
1028	Iron	200.7	0.3	mg/L	0.020	ND	1	12/3/2018	15:17		12/6/2018
1030	Lead	200.8	0.015	mg/L	0.001	ND	1	12/3/2018	15:17		12/10/2018
1031	Magnesium	200.7		mg/L	0.10	ND	1	12/3/2018	15:17		12/6/2018
1032	Manganese	200.7	0.05	mg/L	0.004	ND	1	12/3/2018	15:17		12/6/2018
1035	Mercury	200.8	0.002	mg/L	0.0002	ND	1	12/3/2018	15:17		12/10/2018
1036	Nickel	200.7		mg/L	0.005	ND	1	12/3/2018	15:17		12/6/2018
1042	Potassium	200.7		mg/L	1.0	ND	1	12/3/2018	15:17		12/6/2018
1045	Selenium	200.8	0.05	mg/L	0.002	ND	1	12/3/2018	15:17		12/10/2018
1049	Silica	200.7	1.4	mg/L	0.05	0.55	1	12/3/2018	15:17		12/6/2018

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 1 of 6 388272 50 DDBP (no GEDD's)

Date Printed: 1/10/2019 1:41:20 PM

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

# **ANALYTICAL REPORTS**

# SAMPLE CODE: 388272 1/10/2019

Fed Id#	Contaminant	Method	Standard	Units	LRL	Level Detected		DF	Date/Time Sampled		Date Prepped	Date/Time Analyzed	
1050	Silver	200.7	0.10	mg/L	0.002	0.003		1	12/3/2018	15:17		12/6/2018	
1052	Sodium	200.7		mg/L	1	ND		1	12/3/2018	15:17		12/6/2018	
1085	Thallium	200.8	0.002	mg/L	0.001	ND		1	12/3/2018	15:17		12/10/2018	
4009	Uranium	200.8	0.030	mg/L	0.001	ND		1	12/3/2018	15:17		12/10/2018	
1095	Zinc	200.7	5.000	mg/L	0.004	ND		1	12/3/2018	15:17		12/6/2018	
				Ph	ysical Fa	ctors							
1927	Alkalinity (Total as CaCO3)	2320B	-	mg/L	20	ND		1	12/3/2018	15:17		12/7/2018	MITTER TO
1905	Apparent Color	2120B	15	CU	3	ND		1	12/3/2018	15:17		12/3/2018	18:15
1928	Bicarbonate (as CaCO3)	2320B		mg/L	20	ND		1	12/3/2018	15:17		12/7/2018	
1929	Carbonate (as CaCO3)	2320B		mg/L	20	ND		1	12/3/2018	15:17		12/7/2018	
1910	Corrosivity	2330B		SI		-5.70	R2	1	12/3/2018	15:17		12/10/2018	
2905	Foaming Agents	5540C	0.5	mg/L	0.1	ND		1	12/3/2018	15:17		12/5/2018	14:30
		ME	BAS, calcula	ated as Lir	near Alkyla	ate Sulfonate	(LAS	), mol	wt of 342.4 g	/mole			
1915	Hardness (as CaCO3)	2340C	-	mg/L	10	ND		1	12/3/2018	15:17		12/15/2018	
1021	Hydroxide (as CaCO3)	2320B		mg/L	20	ND		1	12/3/2018	15:17		12/7/2018	
1920	Odor Threshold	2150B	3	ton	1	ND		1	12/3/2018	15:17		12/3/2018	16:40
1925	рН	150.1	5-7	pH Units		5.7		1	12/3/2018	15:17		12/3/2018	17:15
4254	pH Temperature	150.1		Deg, C		22		1	12/3/2018	15:17		12/3/2018	17:15
1064	Specific Cond. @ 25 deg. C	2510B		umhos/c m	1	5		1	12/3/2018	15:17		12/6/2018	
1930	Total Dissolved Solids	2540C	500	mg/L	5	ND		1	12/3/2018	15:17		12/8/2018	
0100	Turbidity	2130B	1	NTU	0.1	ND		1	12/3/2018	15:17		12/3/2018	17:50
				Inorgar	ic Analy	tes - Other							
1011	Bromate	300.1	0.010	mg/L	0.005	ND		1	12/3/2018	15:17		12/12/2018	
1004	Bromide	300.1		mg/L	0.005	ND		1	12/3/2018	15:17		12/12/2018	
1006	Chloramine as Cl2	4500CI-G	4.0	mg/L	0.05	ND		1	12/3/2018	15:17		12/3/2018	17:42
1017	Chloride	300.0	250	mg/L	1.0	ND		1	12/3/2018	15:17		12/4/2018	11:43
1012	Chlorine as CI2	4500CI-G	4.0	mg/L	0.05	ND		1	12/3/2018	15:17		12/3/2018	17:39
1008	Chlorine Dioxide as Cl02	4500Cl02D	0.8	mg/L	0.1	ND		1	12/3/2018	15:17		12/3/2018	17:50
1009	Chlorite	300.1	1.0	mg/L	0.005	ND		1	12/3/2018	15:17		12/12/2018	
1025	Fluoride	300.0	4.0	mg/L	0.10	ND		1	12/3/2018	15:17		12/4/2018	11:43
1040	Nitrate as N	300.0	10	mg/L	0.05	0.06		1	12/3/2018	15:17		12/4/2018	11:43
1041	Nitrite as N	300.0	1	mg/L	0.05	ND		1	12/3/2018	15:17		12/4/2018	11:43
1044	Ortho Phosphate	300.0	3 <del></del> ):	mg/L	2.0	ND		1	12/3/2018	15:17		12/4/2018	11:43
1055	Sulfate	300.0	250	mg/L	5.0	ND		1	12/3/2018	15:17		12/4/2018	11:43
			Ora	anic Ana	lytes - Ti	rihalometh	anes						
2943	Bromodichloromethane	524.2 THMs	-	mg/L	0.0005	0.0019		1	12/3/2018	15:17		12/4/2018	
2942	Bromoform	524.2 THMs		mg/L	0.0005	ND		1	12/3/2018	15:17		12/4/2018	
2941	Chloroform	524.2 THMs	-	mg/L	0.0005	0.0120		1	12/3/2018	15:17		12/4/2018	

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

# **ANALYTICAL REPORTS**

# SAMPLE CODE: 388272 1/10/2019

Fed Id#	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled		Date Prepped	Date/Time Analyzed
2944	Dibromochloromethane	524.2 THMs		mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2950	Total THMs	524.2 THMs	0.080	mg/L	0.0005	0.0139	1	12/3/2018	15:17		12/4/2018
			Org	anic An	alytes - H	aloacetic Ac	ids				
2454	Dibromoacetic Acid	552.2 HA	\s	ug/L	1.0	ND	1	12/3/2018	15:17	12/7/2018	12/7/2018
2451	Dichloroacetic Acid	552.2 HAA	\s	ug/L	1.0	ND	1	12/3/2018	15:17	12/7/2018	12/7/2018
2453	Monobromoacetic Acid	552.2 HA	\s	ug/L	1.0	ND	1	12/3/2018	15:17	12/7/2018	12/7/2018
2450	Monochloroacetic Acid	552.2 HA	\s	ug/L	1.0	ND	1	12/3/2018	15:17	12/7/2018	12/7/2018
2452	Trichloroacetic Acid	552.2 HA	\s	ug/L	1.0	ND	1	12/3/2018	15:17	12/7/2018	12/7/2018
2456	Total HAAs	552.2 HAA	\s 60	ug/L	1.0	ND	1	12/3/2018	15:17	12/7/2018	12/7/2018
				Organie	c Analytes	s - Volatiles					
2986	1,1,1,2-Tetrachloroethane	524.2		mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2981	1,1,1-Trichloroethane	524.2	0.2	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2988	1,1,2,2-Tetrachloroethane	524.2		mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2985	1,1,2-Trichloroethane	524.2	0.005	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2978	1,1-Dichloroethane	524.2		mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2977	1,1-Dichloroethene	524.2	0.007	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2410	1,1-Dichloropropene	524.2		mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2420	1,2,3-Trichlorobenzene	524.2	-	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2414	1,2,3-Trichloropropane	524.2		mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2378	1,2,4-Trichlorobenzene	524.2	0.07	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2418	1,2,4-Trimethylbenzene	524.2		mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2968	1,2-Dichlorobenzene	524.2	0.6	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2980	1,2-Dichloroethane	524.2	0.005	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2983	1,2-Dichloropropane	524.2	0.005	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2424	1,3,5-Trimethylbenzene	524.2		mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2967	1,3-Dichlorobenzene	524.2	·	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2412	1,3-Dichloropropane	524.2		mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2969	1,4-Dichlorobenzene	524.2	0.075	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2416	2,2-Dichloropropane	524.2		mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2965	2-Chlorotoluene	524.2	-	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2966	4-Chlorotoluene	524.2		mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2030	4-Isopropyltoluene	524.2	-	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2990	Benzene	524.2	0.005	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2993	Bromobenzene	524.2	-	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2430	Bromochloromethane	524.2	-	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2214	Bromomethane	524.2	-	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2982	Carbon Tetrachloride	524.2	0.005	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2989	Chlorobenzene	524.2	0.1	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2216	Chloroethane	524.2		mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2210	Chloromethane	524.2	-	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 3 of 6

388272

50 DDBP (no GEDD's)

Date Printed: 1/10/2019 1:41:22 PM

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

# **ANALYTICAL REPORTS**

# SAMPLE CODE: 388272 1/10/2019

Fed Id#	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled		Date Prepped	Date/Time Analyzed
2380	cis-1,2-Dichloroethene	524.2	0.07	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2228	cis-1,3-Dichloropropene	524.2	-	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2408	Dibromomethane	524.2		mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2212	Dichlorodifluoromethane	524.2		mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2964	Dichloromethane	524.2	0.005	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2992	Ethylbenzene	524.2	0.7	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2246	Hexachlorobutadiene	524.2		mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2994	Isopropylbenzene	524.2	-	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2251	Methyl Tert Butyl Ether	524.2		mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2247	Methyl-Ethyl Ketone	524.2	-	mg/L	0.005	ND	1	12/3/2018	15:17		12/4/2018
2248	Naphthalene	524.2		mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2422	n-Butylbenzene	524.2	4	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2997	o-Xylene	524.2		mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2963	p and m-Xylenes	524.2	-	mg/L	0.0010	ND	1	12/3/2018	15:17		12/4/2018
			ue to the lim	itation of	EPA Metho	od 524.2, p and r	n isome	rs of Xylene	are report	ed as aggrega	ate.
2998	Propylbenzene	524.2		mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2428	sec-Butylbenzene	524.2	1 <del>4</del> 1 1 5 1	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2996	Styrene	524.2	0.1	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2426	tert-Butylbenzene	524.2		mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2987	Tetrachloroethene	524.2	0.005	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2991	Toluene	524.2	1	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2979	trans-1,2-Dichloroethene	524.2	0.1	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2224	trans-1,3-Dichloropropene	524.2	-	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2984	Trichloroethene	524.2	0.005	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2218	Trichlorofluoromethane	524.2	-	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2904	Trichlorotrifluoroethane	524.2		mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2976	Vinyl Chloride	524.2	0.002	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
2955	Xylenes (Total)	524.2	10	mg/L	0.0005	ND	1	12/3/2018	15:17		12/4/2018
				Organi	ic Analyte	s - Others					
2931	1,2-Dibromo-3-chloropropane	504.1	0.0002	mg/L	0.00001	ND	1	12/3/2018	15:17	12/6/2018	12/6/2018
2946	1,2-Dibromoethane	504.1	0.00005	mg/L	0.00001	ND	1	12/3/2018	15:17	12/6/2018	12/6/2018
2105	2,4-D	515.4	70	ug/L	0.1	ND	1	12/3/2018	15:17	12/5/2018	12/11/2018
2066	3-Hydroxycarbofuran	531.2		ug/L	1.0	ND	1	12/3/2018	15:17		12/17/2018
2051	Alachlor	525.2	2	ug/L	0.2	ND	1	12/3/2018	15:17	12/13/2018	12/20/2018
2047	Aldicarb	531.2	7	ug/L	1.0	ND	1	12/3/2018	15:17		12/17/2018
2044	Aldicarb sulfone	531.2	7	ug/L	1.0	ND	1	12/3/2018	15:17		12/17/2018
2043	Aldicarb sulfoxide	531.2	7	ug/L	1.0	ND	1	12/3/2018	15:17		12/17/2018
2356	Aldrin	505	-	mg/L	0.00007	ND	1	12/3/2018	15:17	12/10/2018	12/10/2018
2050	Atrazine	525.2	3	ug/L	0.1	ND	1	12/3/2018	15:17	12/13/2018	12/20/2018
2625	Bentazon	515.4	4-00	ug/L	1	ND	1	12/3/2018	15:17	12/5/2018	12/11/2018
2306	Benzo(A)pyrene	525.2	0.2	ug/L	0.1	ND	1	12/3/2018	15:17	12/13/2018	12/20/2018

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 4 of 6 388272

50 DDBP (no GEDD's)

Date Printed: 1/10/2019 1:41:23 PM

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

# **ANALYTICAL REPORTS**

# SAMPLE CODE: 388272 1/10/2019

Fed Id#	Contaminant	Method	Standard	Units	LRL	Level Detected	D	F	Date/Time Sampled		Date Prepped	Date/Time Analyzed
2076	Butachlor	525.2	3 <u>-</u> 477	ug/L	0.2	ND		1	12/3/2018	15:17	12/13/2018	12/20/2018
2021	Carbaryl	531.2		ug/L	1.0	ND		1	12/3/2018	15:17		12/17/2018
2046	Carbofuran	531.2	40	ug/L	1.0	ND		1	12/3/2018	15:17		12/17/2018
2959	Chlordane	505	0.002	mg/L	0.0001	ND		1	12/3/2018	15:17	12/10/2018	12/10/2018
2031	Dalapon	515.4	200	ug/L	1	ND		1	12/3/2018	15:17	12/5/2018	12/11/2018
2035	Di(2-ethylhexyl) adipate	525.2	400	ug/L	0.2	ND		1	12/3/2018	15:17	12/13/2018	12/20/2018
2039	Di(2-ethylhexyl) phthalate	525.2	6	ug/L	0.6	ND		1	12/3/2018	15:17	12/13/2018	12/20/2018
2440	Dicamba	515.4		ug/L	1	ND		1	12/3/2018	15:17	12/5/2018	12/11/2018
2933	Dichloran	505	4	mg/L	0.001	ND		1	12/3/2018	15:17	12/10/2018	12/10/2018
2070	Dieldrin	505		mg/L	0.00002	ND		1	12/3/2018	15:17	12/10/2018	12/10/2018
2041	Dinoseb	515.4	7	ug/L	0.2	ND		1	12/3/2018	15:17	12/5/2018	12/11/2018
2005	Endrin	505	0.002	mg/L	0.00001	ND		1	12/3/2018	15:17	12/10/2018	12/10/2018
2065	Heptachlor	505	0.0004	mg/L	0.00001	ND		1	12/3/2018	15:17	12/10/2018	12/10/2018
2067	Heptachlor Epoxide	505	0.0002	mg/L	0.00001	ND		1	12/3/2018	15:17	12/10/2018	12/10/2018
2274	Hexachlorobenzene	505	0.001	mg/L	0.0001	ND		1	12/3/2018	15:17	12/10/2018	12/10/2018
2042	Hexachlorocyclopentadiene	505	0.05	mg/L	0.0001	ND		1	12/3/2018	15:17	12/10/2018	12/10/2018
2010	Lindane	505	0.0002	mg/L	0.00002	ND		1	12/3/2018	15:17	12/10/2018	12/10/2018
2022	Methomyl	531.2		ug/L	1.0	ND		1	12/3/2018	15:17		12/17/2018
2015	Methoxychlor	505	0.04	mg/L	0.0001	ND		1	12/3/2018	15:17	12/10/2018	12/10/2018
2045	Metolachlor	525.2		ug/L	0.2	ND		1	12/3/2018	15:17	12/13/2018	12/20/2018
2595	Metribuzin	525.2		ug/L	0.2	ND		1	12/3/2018	15:17	12/13/2018	12/20/2018
2626	Molinate	525.2		ug/L	0.2	ND		1	12/3/2018	15:17	12/13/2018	12/20/2018
2036	Oxamyl	531.2	200	ug/L	1.0	ND		1	12/3/2018	15:17		12/17/2018
2934	Pentachloronitrobenzene	505		mg/L	0.0001	ND		1	12/3/2018	15:17	12/10/2018	12/10/2018
2326	Pentachlorophenol	515.4	1	ug/L	0.04	ND		1	12/3/2018	15:17	12/5/2018	12/11/2018
2040	Picloram	515.4	500	ug/L	0.1	ND		1	12/3/2018	15:17	12/5/2018	12/11/2018
2077	Propachlor	525.2		ug/L	0.2	ND		1	12/3/2018	15:17	12/13/2018	12/20/2018
2110	Silvex 2,4,5-TP	515.4	50	ug/L	0.2	ND		1	12/3/2018	15:17	12/5/2018	12/11/2018
2037	Simazine	525.2	4	ug/L	0.1	ND		1	12/3/2018	15:17	12/13/2018	12/20/2018
2627	Thiobencarb	525.2		ug/L	0.2	ND		1	12/3/2018	15:17	12/13/2018	12/20/2018
2383	Total PCBs	505	0.0005	mg/L	0.0005	ND		1	12/3/2018	15:17	12/10/2018	12/10/2018
2910	Total Phenois	420.4		mg/L	0.001	ND	R2	1	12/3/2018	15:17		12/19/2018
2020	Toxaphene	505	0.003	mg/L	0.001	ND		1	12/3/2018	15:17	12/10/2018	12/10/2018
2055	Trifluralin	505		mg/L	0.001	ND		1	12/3/2018	15:17	12/10/2018	12/10/2018

Qualifiers:

R2: The laboratory is not accredited for this analyte. The resulting value should be used for informational purposes only.

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

#### **ANALYTICAL REPORTS**

SAMPLE CODE: 388272

1/10/2019

Fed Id # Contaminant Method Standard Units LRL Level DF Date/Time Date Date/Time

Detected Sampled Prepped Analyzed

Analyst	Tests
DD	200.7,200.8
PC	2320B,2120B,5540C,2340C,2150B,150.1,2510B,2130B
SG	2330B,300.1,300.0
CF	2540C
DHG	4500CI-G,4500CI02D,420.4
SB	524.2 THMs,552.2 HAAs,524.2,504.1,515.4,531.2
JF	525.2
JPT	505



556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

#### **ANALYTICAL REPORTS**

SAMPLE CODE: 388271 11/27/2018

Customer:

Piedmont Springs

Lang Adler 6553 Warren Drive Norcross, GA 30093 Source:

Gwinnett County Municipal

Source Type:

Municipal Water

Brand Name:

Piedmont Springs Purified Water

Production Code: 11/2/18 Container Size: 500 ml.

Date/Time Received:

11/15/2018 09:35

Collected by:

D. Basler

collected by:

The results herein conform to TNI and ISO/IEC 17025:2005 standards, where applicable. These results may be used for compliance purposes, as required, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S.

Eastern Time.

#### Legend:

Any 'Level Detected' marked with an asterisk (\*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

"ND"

This contaminant was not detected at or above our lower reporting limit (LRL)

"NA"

Not Analyzed

"Standard"

This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA

Secondary Standards.

"LRL"

This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant.

"DF"

This column indicates the contaminant dilution factor.

# Report Notes:

Fed Id#	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled		Date Prepped	Date/Time Analyzed	
				Mic	crobiolog	jicals						
3114	E. Coli	9223B	1	MPN/100 mL	1	ND	1	11/20/2018	09:00		11/20/2018	09:27
3001	Standard Plate Count	9215B	500	CFU/ml	1	<1	1	11/20/2018	09:00		11/20/2018	09:10
		-	our Plate M	etnoa, 35°C	7/48nr, Pla	ite Count Agar						
3000	Total Coliform	9223B	1	MPN/100 mL	1	ND	1	11/20/2018	09:00		11/20/2018	09:27

 Analyst
 Tests

 CF
 9223B,9215B

Jarah Bucharan

Sarah Buchanan, Project Manager

#### Laboratory ID: C-036

# **National Testing Laboratories, Ltd**

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

#### **ANALYTICAL REPORTS**

SAMPLE CODE: 388273 12/13/2018

Customer: **Piedmont Springs** 

Lang Adler 6553 Warren Drive Norcross, GA 30093 Source:

**Gwinnett County Municipal** 

Source Type: **Brand Name:**  Municipal Water

Piedmont Springs Purified Water

**Production Code: 11/2/18** Container Size: 500 ml.

Date/Time Received:

11/15/2018 09:35

Collected by:

D. Basler

The results herein conform to TNI and ISO/IEC 17025:2005 standards, where applicable. These results may be used for compliance purposes, as required, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S.

#### Legend:

Any 'Level Detected' marked with an asterisk (\*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

"ND"

This contaminant was not detected at or above our lower reporting limit (LRL)

"NA"

Not Analyzed

"Standard"

This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA

Secondary Standards.

"LRL"

This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant.

"DF" This column indicates the contaminant dilution factor.

**Report Notes:** 

Fed Id#	Contaminant	Method	Standard	Units	LRL	Level Detected		DF	Date/Time Sampled		Date Prepped	Date/Time Analyzed	
				Mi	crobiolo	gicals							
3000	Total Coliform by P/A	9223B		P/A	-517	-		1	12/3/2018	15:17		12/3/2018	17:03
			Total Coliforn	and E.co	oli were AB	SENT in this	s sam	ple.					
					USP XX								
1003	Ammonia (as NH3)	USP XXI	l	Pass/Fa	il	Pass	R2	1	12/3/2018	15:17		12/12/2018	
1016	Calcium	USP XXI	I -	Pass/Fa	il	Pass	R2	1	12/3/2018	15:17		12/12/2018	
1901	Carbon Dioxide (Free CO2)	USP XXI	l	Pass/Fa	il	Pass	R2	1	12/3/2018	15:17		12/12/2018	
1017	Chloride	USP XXII	1 -	Pass/Fa	il	Pass	R2	1	12/3/2018	15:17		12/12/2018	
	Heavy Metals (USP)	USP XXII	!	Pass/Fa	il	Pass	R2	1	12/3/2018	15:17		12/12/2018	
	Oxidizables (USP)	USP XXII	-	Pass/Fa	il	Pass	R2	1	12/3/2018	15:17		12/12/2018	
1925	pH	USP XXII	I	pH Units		5.7	R2	1	12/3/2018	15:17		12/3/2018	17:15
1055	Sulfate	USP XXI	1 - 25-1	Pass/Fa	il	Pass	R2	1	12/3/2018	15:17		12/12/2018	
	Total Solids	USP XXII	I 10	mg/L	10	ND	R2	1	12/3/2018	15:17		12/4/2018	
Qua	lifiers:												

R2: The laboratory is not accredited for this analyte. The resulting value should be used for informational purposes only.

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

#### **ANALYTICAL REPORTS**

SAMPLE CODE: 388273 12/13/2018

Fed Id # Contaminant

Method

Standard

Units

LRL

Level Detected DF

Date/Time Sampled

Date Prepped

Date/Time Analyzed

Analyst	Tests	
GK	9223B	
DHG	USP XXIII	
PC	USP XXIII	
CF	USP XXIII	



#### **ANALYTICAL RESULTS - RADIOCHEMISTRY**

Project:

2121425

Pace Project No.:

30275012

Sample: 388272

Lab ID: 30275012001

Site ID:

Collected: 12/20/18 11:50

Received: 12/20/18 11:50

Matrix: Drinking Water

Sample Type:

Comments:

PWS:

Sample collection dates and times were not present on the sample containers.
Upon receipt at the laboratory, 2.5 mls of nitric acid were added to the sample to meet the sample preservation requirement of pH

<2 for radiochemistry analysis.

Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Radon	SM7500RnB-07	-4.7 ± 20.6 (36.3) C:NA T:NA	pCi/L	12/20/18 21:44	10043-92-2	
Gross Alpha	EPA 900.0	-0.115 ± 0.386 (1.39) C:NA T:NA	pCi/L	01/02/19 07:51	12587-46-1	
Gross Beta	EPA 900.0	0.273 ± 0.623 (1.46) C:NA T:NA	pCi/L	01/02/19 07:51	12587-47-2	
Radium-226	EPA 903.1	0.108 ± 0.299 (0.581) C:NA T:98%	pCi/L	01/08/19 21:51	13982-63-3	
Radium-228	EPA 904.0	-0.0300 ± 0.359 (0.839) C:75% T:80%	pCi/L	01/08/19 11:26	15262-20-1	
Total Radium	Total Radium Calculation	0.108 ± 0.658 (1.42)	pCi/L	01/09/19 11:44	7440-14-4	



# EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077 Phone/Fax: (800) 220-3675 / (856) 786-5974 http://www.EMSL.com / cinnasblab@EMSL.com EMSL Order ID: Customer ID:

041835831 NTLI78

14630

Customer PO: Project ID:

Susan Henderson

National Testing Laboratories, Inc.

6571 Wilson Mills Road Cleveland, OH 44143

Phone:

(440) 449-2525

Fax: Received: (Ema) il -only 12/05/2018

Analyzed:

12/19/2018

Proj: 388272 / Gwinnett County Municipal / Lawrenceville, GA / Piedmont Springs Purified Water

# Test Report: Determination of Asbestos Structures >10µm in Drinking Water Performed by the 100.2 Method (EPA 600/R-94/134)

						A	SBESTOS		
Sample ID Client / EMSL	Sample Filtration Date/Time	Original Sample Vol. Filtered	Effective Filter Area	Area Analyzed	Asbestos Types	Fibers Detected	Analytical Sensitivity	Concentration	Confidence Limits
		(ml)	(mm²)	(mm²)			MFL	(million fibers per	liter)
388272	12/5/2018	100	1360	0.0774	None Detected	ND	0.18	<0.18	0.00 - 0.65
041835831-0001	11:30 AM								
Collection Date/Time:	12/03/2018								

Analyst(s) Patrick Carr

(1)

Benjamin Ellis, Laboratory Manager or Other Approved Signatory

Helle

Any questions please contact Benjamin Ellis.

Initial report from: 12/19/2018 20:08:08

Sample collection and containers provided by the client, acceptable bottle blank level is defined as ≤0.01MFL>10um. ND=None Detected. This report may not be reproduced, except in full, without written permission by EMSL Analytical, Inc. The test results contained within this report meet the requirements of NELAC unless otherwise noted. This report relates only to the samples reported above. Samples received in good condition unless otherwise noted.

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ NELAC NYS ELAP 10872, NJ DEP 03036, FL DOH E87975, PA ID# 68-00367





110 South Hill Street South Bend, IN 46617 Tel: (574) 233-4777 Fax: (574) 233-8207

1 800 332 4345

# Laboratory Report

Client: **National Testing Laboratories**  Report:

438951

Susan Henderson Attn:

Priority:

Standard Written

6571 Wilson Mills Road Cleveland, OH 44143

Status:

Final

PWS ID:

Not Supplied

Sample Information													
EEA ID#	Client ID	Method	Collected Date / Time	Collected By:	Received Date / Time								
4153194	388272	335.4	12/18/18 16:40	EEA	12/18/18 10:15								
4153196	388272	331.0	12/18/18 16:40	EEA	12/18/18 10:15								

#### **Report Summary**

Note: Sample container was provided by the client. The sample was poured off by laboratory personnel upon receipt.

Detailed quantitative results are presented on the following pages. The results presented relate only to the samples provided for analysis.

We appreciate the opportunity to provide you with this analysis. If you have any questions concerning this report, please do not hesitate to call Traci Chlebowski at (574) 233-4777.

Note: This report may not be reproduced, except in full, without written approval from EEA.

arthur Chilebowsh ASM

01/07/2019

Date

Authorized Signature Client Name:

**National Testing Laboratories** 

Report #:

438951

Client Name: National Testing Laboratories

Report #: 438951

Sampling Point: 388272

PWS ID: Not Supplied

	General Chemistry										
Analyte ID #	Analyte	Method	Reg Limit	MRL†	Result	Units	Preparation Date	Analyzed Date	EEA ID#		
14797-73-0	Perchlorate	331.0		0.05	< 0.05	ug/L		01/01/19 02:08			
57-12-5	Cyanide, Total	335.4	0.1 &	0.02	< 0.02	mg/L		12/29/18 15:09			

† EEA has demonstrated it can achieve these report limits in reagent water, but can not document them in all sample matrices.

W M2 1 F 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		W W 7 7		THE RE OF DAY : F
Reg Limit Type:	MCL	SMCL	AL	SOQ
Symbol:	*	٨	!	&

Client Name:

Report #: 438951

#### **Lab Definitions**

Continuing Calibration Check Standard (CCC) / Continuing Calibration Verification (CCV) / Initial Calibration Verification Standard (ICV) / Initial Performance Check (IPC) - is a standard containing one or more of the target analytes that is prepared from the same standards used to calibrate the instrument. This standard is used to verify the calibration curve at the beginning of each analytical sequence, and may also be analyzed throughout and at the end of the sequence. The concentration of continuing standards may be varied, when prescribed by the reference method, so that the range of the calibration curve is verified on a regular basis. CCL, CCM, and CCH are the CCC standards at low, mid, and high concentration levels, respectively.

**Internal Standards (IS)** - are pure compounds with properties similar to the analytes of interest, which are added to field samples or extracts, calibration standards, and quality control standards at a known concentration. They are used to measure the relative responses of the analytes of interest and surrogates in the sample, calibration standard or quality control standard.

**Laboratory Duplicate (LD)** - is a field sample aliquot taken from the same sample container in the laboratory and analyzed separately using identical procedures. Analysis of laboratory duplicates provides a measure of the precision of the laboratory procedures.

Laboratory Fortified Blank (LFB) / Laboratory Control Sample (LCS) - is an aliquot of reagent water to which known concentrations of the analytes of interest are added. The LFB is analyzed exactly the same as the field samples. LFBs are used to determine whether the method is in control. FBL, FBM, and FBH are the LFB samples at low, mid, and high concentration levels, respectively.

Laboratory Method Blank (LMB) / Laboratory Reagent Blank (LRB) - is a sample of reagent water included in the sample batch analyzed in the same way as the associated field samples. The LMB is used to determine if method analytes or other background contamination have been introduced during the preparation or analytical procedure. The LMB is analyzed exactly the same as the field samples.

Laboratory Trip Blank (LTB) / Field Reagent Blank (FRB) - is a sample of laboratory reagent water placed in a sample container in the laboratory and treated as a field sample, including storage, preservation, and all analytical procedures. The FRB/LTB container follows the collection bottles to and from the collection site, but the FRB/LTB is not opened at any time during the trip. The FRB/LTB is primarily a travel blank used to verify that the samples were not contaminated during shipment.

Matrix Spike Duplicate Sample (MSD) / Laboratory Fortified Sample Matrix Duplicate (LFSMD) - is a sample aliquot taken from the same field sample source as the Matrix Spike Sample to which known quantities of the analytes of interest are added in the laboratory. The MSD is analyzed exactly the same as the field samples. Analysis of the MSD provides a measure of the precision of the laboratory procedures in a specific matrix. SDL, SDM, and SDH / LFSMDL, LFSMDM, and LFSMDH are the MSD or LFSMD at low, mid, and high concentration levels, respectively.

Matrix Spike Sample (MS) / Laboratory Fortified Sample Matrix (LFSM) - is a sample aliquot taken from field sample source to which known quantities of the analytes of interest are added in the laboratory. The MS is analyzed exactly the same as the field samples. The purpose is to demonstrate recovery of the analytes from a sample matrix to determine if the specific matrix contributes bias to the analytical results. MSL, MSM, and MSH / LFSML, LFSMM, and LFSMH are the MS or LFSM at low, mid, and high concentration levels, respectively.

Quality Control Standard (QCS) / Second Source Calibration Verification (SSCV) - is a solution containing known concentrations of the analytes of interest prepared from a source different from the source of the calibration standards. The solution is obtained from a second manufacturer or lot if the lot can be demonstrated by the manufacturer as prepared independently from other lots. The QCS sample is analyzed using the same procedures as field samples. The QCS is used as a check on the calibration standards used in the method on a routine basis.

Reporting Limit Check (RLC) / Initial Calibration Check Standard (ICCS) - is a procedural standard that is analyzed each day to evaluate instrument performance at or below the minimum reporting limit (MRL).

**Surrogate Standard (SS) / Surrogate Analyte (SUR) -** is a pure compound with properties similar to the analytes of interest, which is highly unlikely to be found in any field sample, that is added to the field samples, calibration standards, blanks and quality control standards before sample preparation. The SS is used to evaluate the efficiency of the sample preparation process.

# BOTTLED WATER CERTIFICATION - LAB ANALYSIS REPORT (START-UP AND ANNUAL TESTING)

FIRM NAME				DATE OF ANALYSES
Piedmont Springs				01/10/19
STREET ADDRESS				SOURCE (BY NAME OR NUMBER)
6553 Warren Drive				388272
CITY	STATE	ZIPCODE	PHONE	SAMPLES: SOURCE OR FINISHED PRODUCT
Norcross	GA	30093	770-409-4027	Finished Product

CHEMICAL QUALITY 21 CFR 165.110(b)(4)(i)(A)											
Substance	MCL (mg/L)	Results	MDL	Substance	MCL (mg/L)	Results	MDL				
Chloride <sup>1</sup>	250.0	ND	1.0	Phenols	0.001	ND	0.001				
Iron¹	0.3	ND	0.020	Total Dissolved Solids <sup>1</sup>	500.0	ND	5				
Fluoride <sup>2</sup>		ND	0.10	Zinc <sup>1</sup>	5.0	ND	0.004				
Manganese <sup>1</sup>	0.05	ND	0.004								

 $<sup>^{1}</sup>$ Mineral water is exempt from allowable level. The exemptions are aesthetically based allowable levels and do not relate to a health concern.

 $<sup>^2</sup>$ See Table 1 and Table 2 (21 CFR 165.110(b)(4)(ii) for the appropriate MCL on Fluoride.

INORGANIC SUBSTANCES 21 CFR 165.110(b)(4)(iii)(A)											
Contaminant	MCL (mg/L)	Results	MDL	Contaminant	MCL (mg/L)	Results	MDL				
Arsenic	0.010	ND	0.002	Lead	0.005	ND	0.001				
Antimony	.006	ND	0.003	Mercury	0.002	ND	0.0002				
Barium	2	ND	0.10	Nickel	0.1	ND	0.005				
Beryllium	0.004	ND	0.001	Nitrate (as Nitrogen)	10	0.06	0.05				
Cadmium	0.005	ND	0.001	Nitrite (as Nitrogen)	1	ND	0.05				
Chromium	0.1	ND	0.007	Total Nitrate & Nitrite (as Nitrogen)	10	0.06	0.05				
Copper	1.0	ND	0.002	Selenium	0.05	ND	0.002				
Cyanide	0.2	ND	0.02	Thallium	0.002	ND	0.001				

VOLATILE ORGANIC CHEMICALS (VOC's) 21 CFR 165.110(b)(4)(iii)(B)										
Contaminant	Contaminant	MCL (mg/L)	Results	MDL						
Benzene (71-43-2)	0.005	ND	0.0005	Monochlorobenzene (108-90-7)	0.1	ND	0.0005			
Carbon tetrachloride (56-23-5)	0.005	ND	0.0005	Styrene (100-42-5)	0.1	ND	0.0005			
o- Dichlorobenzene (95-50-1)	0.6	ND	0.0005	Tetrachloroethylene (127-18-4)	0.005	ND	0.0005			
p- Dichlorobenzene (106-46-7)	0.075	ND	0.0005	Toluene (108-88-3)	1	ND	0.0005			
1,2-Dichloroethane (107-06-2)	0.005	ND	0.0005	1,2,4-Trichlorobenzene (120-82-1)	0.07	ND	0.0005			
1,1-Dichloroethylene (75-35-4)	0.007	ND	0.0005	1,1,1-Trichloroethane (71-55-6)	0.20	ND	0.0005			
cis-1,2-Dichloroethylene (156-59-2)	0.07	ND	0.0005	1,1,2-Trichloroethane (79-00-5)	0.005	ND	0.0005			

VOC's continued on page 2.

VOLATILE ORGANIC CHEMICALS (VOC's) 21 CFR 165.110(b)(4)(iii)(B)										
Contaminant	MCL (mg/L)	Results	MDL	Contaminant	MCL (mg/L)	Results	MDL			
trans-1,2-Dichloroethylene (156-60-5)	0.1	ND	0.0005	Trichloroethylene (79-01-6)	0.005	ND	0.0005			
Dichloromethane (75-09-2)	0.005	ND	0.0005	Vinyl chloride (75-01-4)	0.002	ND	0.0005			
1,2-Dichloropropane (78-87-5)	0.005	ND	0.0005	Xylenes (1330-20-7)	10	ND	0.0005			
Ethylbenzene (100-41-4)	0.7	ND	0.0005							

	SYI			C CHEMICALS (SOC's) .10(b)(4)(iii)(C)			
Contaminant (CAS Reg. No.)	MCL (mg/L)	Results	MDL	Contaminant (CAS Reg. No.)	MCL (mg/L)	Results	MDL
Alachlor (15972-60-8)	0.002	ND	0.0002	Glyphosate (1071-53-6)	0.7	NA	0.006
Atrazine (1912-24-9)	0.003	ND	0.0001	Heptachlor (76-44-8)	0.0004	ND	0.00001
Benzo(a)pyrene (50-32-8)	0.0002	ND	0.0001	Heptachlor epoxide (1024-57-3)	0.0002	ND	0.00001
Carbofuran (1563-66-2)	0.04	ND	0.001	Hexachlorobenzene (118-74-4)	0.001	ND	0.0001
Chlordane (57-74-9)	0.002	ND	0.0001	Hexachlorocyclopentadiene (77-47-4)	0.05	ND	0.0001
Dalapon (75-99-0)	0.2	ND	0.001	Lindane (58-89-9)	0.0002	ND	0.00002
1,2-Dibromo-3-chloropropane (96-12-8)	0.0002	ND	0.00001	Methoxychlor (72-43-5)	0.04	ND	0.0001
2,4-D (94-75-7)	0.07	ND	0.0001	Oxamyl (23135-22-0)	0.2	ND	0.001
Di(2-ethylhexyl)adipate (103-23-1)	0.4	ND	0.0002	Pentachlorophenol (87-86-5)	0.001	ND	0.00004
Di(2-ethylhexyl)phthalate (117-81-7)	0.006	ND	0.0006	PCB's (as decachlorobiphenyl) (1336-36-3)	0.0005	ND	0.0005
Dinoseb (88-85-7)	0.007	ND	0.0002	Picloram (1918-02-1)	0.5	ND	0.0001
Diquat (85-00-7)	0.02	NA	0.001	Simazine (122-34-9)	0.004	ND	0.0001
Endothall (145-73-3)	0.1	NA	0.009	2,3,7,8-TCDD (Dioxin) (1746-01-6)	3*10-8	ND	5
Endrin (72-20-8)	0.002	ND	0.00001	Toxaphene (8001-35-2)	0.003	ND	0.001
Ethylene dibromide (106-93-4)	0.00005	ND	0.00001	2,4,5-TP (Silvex) (93-72-1)	0.05	ND	0.0002

EPA SECONDARY MAXIMUM CONTAMINANT LEVELS (40 CFR part 143) 21 CFR 165.110(b)(4)(iii)(D)											
Contaminant	MCL (mg/L)	Results	MDL	Contaminant	MCL (mg/L)	Results	MDL				
Aluminum	0.2	ND	0.05	Sulfate <sup>1</sup>	250.0	ND	6.8				
Silver	0.1	0.003	0.002								

 $<sup>^{1}</sup>$ Mineral water is exempt from allowable level. The exemptions are aesthetically based allowable levels and do not relate to a health concern.

RESIDUAL DISINFECTANTS & DISINFECTION BYPRODUCTS 21 CFR 165.110(b)(4)(iii)(H)												
Substance	MCL (mg/L)	Results	MDL	Substance	MCL (mg/L)	Results	MDL					
DISINFECTION BYPRODUCTS				RESIDUAL DISINFECTANTS								
Bromate	0.010	ND	0.005	Chloramine (as Cl <sub>2</sub> )	4.0	ND	0.05					
Chlorite	1.0	ND	0.005	Chlorine (as Cl₂)	4.0	ND	0.05					
Haloacetic acids (five) (HAA5)	0.060	ND	0.001	Chlorine dioxide (as ClO <sub>2</sub> )	0.8	ND	0.1					
Total Trihalomethanes (TTHM)	0.080	0.0139	0.0005									

RADIOLOGICAL 21 CFR 165.110(b)(5)(i)											
Substance	MCL (pCi/L)	Results	MDL	Substance	MCL	Results	MDL				
				Beta Particle Activity <sup>3</sup>							
Radium-226	5	0.108+-0.299	0.581	(in millirems/year)		0.273+-0.623	1.46				
Radium-228	5	-0.030+-0.359	0.839	Uranium (in µg/L)	30	ND	1.0				
Combined Radium-226/-228 <sup>1</sup>	5	0.108+-0.658	1.42								
Gross Alpha Particle <sup>2</sup>	15	-0.115+-0.386	1.39								

<sup>&</sup>lt;sup>1</sup>The bottled water shall not contain a combined radium-226 and radium-228 activity in excess of 5 picocuries per liter of water.

Notarized Signature of Chemist in Charge or Project Manager

Laboratory

**Supporting Documents?** 

If "Yes" notary is not required

YES | NC

<sup>&</sup>lt;sup>2</sup>The bottled water shall not contain a gross alpha particle activity (including radium-226, but excluding radon and uranium) in excess of 15 picocuries per liter of water.

<sup>&</sup>lt;sup>3</sup>The bottled water shall not contain beta particle and photon radioactivity from manmade radionuclides in excess of that which would produce an annual dose equivalent to the total body or any internal organ of 4 millirems per year calculated on the basis of an intake of 2 liters of the water per day. If two or more beta or photon-emitting radionuclides are present, the sum of their annual dose equivalent to the total body or to any internal organ shall not exceed 4 millirems per year.