



## **Volvic Natural Spring Water – Annual Water Quality Report**

At Volvic we are proud of the quality of our products. Volvic Natural Spring Water is distributed nationally and meets or exceeds all bottled water standards for quality and safety at the Federal and state level. The US Food and Drug Administration (FDA) regulates bottled water as a food. Our scientists and independent certified laboratories perform extensive tests on the water source and finished bottled water product to ensure we exceed or are compliant with all Federal and state bottled water requirements.

In addition to existing stringent regulatory standards, the International Bottled Water Association (IBWA) maintains a strict Model Code of quality for its members. Volvic is a member of IBWA and meets or exceeds the quality requirements of the IBWA's Model Code. Additionally, we take pride in the fact that our bottled water production plant is annually inspected, on an unannounced basis, by an independent testing organization, NSF International (NSF). Based on unannounced annual plant inspections and product testing, NSF certifies that Volvic Natural Spring Water complies with federal and state bottled water regulations and IBWA's Model Code. NSF is located in Ann Arbor, Michigan. For more information about IBWA and NSF, please visit their websites at <http://www.bottledwater.org> and <http://www.nsf.org> or call IBWA at 1-800-WATER-11 and NSF at 1-800-673-6275.

### **Volvic Natural Spring Water Source**

Volvic Natural Spring Water is from a 1,520 square mile nature preserve in Auvergne, France. Volvic Natural Spring Water is naturally filtered as it slowly trickles down through hundreds of layers of porous puzzolana sand, basalt, and lava stone. As the water filters through these different volcanic layers, it absorbs natural minerals.

### **Volvic Natural Spring Water Bottling**

Volvic Natural Spring Water is bottled exclusively at its protected source. – the Clairvic Spring. Volvic's source is approved by several regulatory agencies based on a detailed and extensive review. To ensure the purity and consistency of Volvic, automated bottling equipment is maintained under strict sanitary conditions and a quality control laboratory conducts several hundred quality tests daily, both at the water source and finished bottled water product.

### **Volvic Natural Spring Water Additional Safety Measures**

Volvic Natural Spring Water is treated with Greensand Filtration – the use of manganese coated filters to reduce naturally present minerals from source water.

### **Water Quality Data**

Attached is a copy of our most recent extensive water quality testing conducted by the independent certified laboratory, NSF. The NSF Report lists the water quality test results for over 175 substances including inorganics (metals, minerals, etc.), organics (pesticides, herbicides, etc.) and microbials as well as physical parameters. Volvic Natural Spring Water is analyzed for both regulated and unregulated substances. This Report contains the substance analyzed, approved test method used, test result, minimum detection limit, measurement unit, date analyzed and FDA Quality Standard for bottled water, if applicable. The FDA Quality Standards are the maximum allowable levels for over 80 substances in bottled water.

**Volvic Natural Spring Water is in full compliance with all federal, state and industry bottled water standards.**

**For more information about Volvic Natural Spring Water, call 1-800-233-6200 or write to us at Volvic Consumer Care, PO Box 1625, Horsham, PA 19044**

# Volvic Natural Spring Water California Bottled Water Report

**THE STATE OF CALIFORNIA REQUIRES THE FOLLOWING INFORMATION TO BE PROVIDED TO BOTTLED WATER CONSUMERS, UPON REQUEST**

Volvic Natural Spring Water  
Societe Volvic  
c/o Danone Waters of America, Inc.  
100 Hillside Avenue  
White Plains, NY 10603  
1-800-233-6200

## **Source: Clairvic Spring**

### **Terms:**

“statement of quality” – The standard (statement) of quality for bottled water is the highest level of a contaminant that is allowed in a container of bottled water, as established by the United States Food and Drug Administration (FDA) and the California Department of Public Health. The standards can be no less protective of public health than the standards for public drinking water, established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health.

“maximum contaminant level (MCL)” – The highest level of a contaminant that is allowed in drinking water, established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health. Primary MCLs are set as close to the PHGs as is economically and technologically feasible.

“public health goal (PHG)” – The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

“primary drinking water standard” – MCLs for contaminants established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health that affect health along with their monitoring and reporting requirements, and water treatment requirements.

**Treatment Process:** Volvic Natural Spring Water is treated with Greensand Filtration – the use of manganese coated filters to reduce naturally present minerals from source water.

**FDA’s website for recalls:** <http://www.fda.gov/opacom/7alerts.html>

**Our product has been thoroughly tested in accordance with federal and California law. Our bottled water is a food product and cannot be sold unless it meets the standards established by the U.S. Food and Drug Administration and the California Department of Public Health. The following statements are required under California law:**

*“Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the United States Food and Drug Administration, Food and Cosmetic Hotline (1-888-723-3366).”*

*“Some persons may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons, including, but not limited to, persons with cancer who are*

# **Volvic Natural Spring Water California Bottled Water Report**

*undergoing chemotherapy, persons who have undergone organ transplants, persons with HIV/AIDS or other immune system disorders, some elderly persons, and infants can be particularly at risk from infections. These persons should seek advice about drinking water from their health care providers. The United States Environmental Protection Agency and the Centers for Disease Control and Prevention guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791)."*

*"The sources of bottled water include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water naturally travels over the surface of the land or through the ground, it can pick up naturally occurring substances as well as substances that are present due to animal and human activity. Substances that may be present in the source water include any of the following:*

- 1. Inorganic substances, including, but not limited to, salts and metals, that can be naturally occurring or result from farming, urban storm water runoff, industrial or domestic wastewater discharges, or oil and gas production.*
- 2. Pesticides and herbicides that may come from a variety of sources, including, but not limited to, agriculture, urban storm water runoff, and residential uses.*
- 3. Organic substances that are byproducts of industrial processes and petroleum production and can also come from gas stations, urban storm water runoff, agricultural application, and septic systems.*
- 4. Microbial organisms that may come from wildlife, agricultural livestock operations, sewage treatment plants, and septic systems.*
- 5. Substances with radioactive properties that can be naturally occurring or be the result of oil and gas production and mining activities."*

*"In order to ensure that bottled water is safe to drink, the United States Food and Drug Administration and the State Department of Public Health prescribe regulations that limit the amount of certain contaminants in water provided by bottled water companies."*



**Send To: 14380**

Mr. Eric Topel  
Danone Foods Inc.  
100 Hillside Avenue  
White Plains, NY 10603

**Facility: 14381**

Societe des Eaux de Volvic  
Usine de Chancet  
63530 Volvic  
France

---

**Result PASS**

**Report Date 09-FEB-2018**

---

Customer Name Societe des Eaux de Volvic  
Tested To USFDA CFR Title 21 Part 165.110  
Description Volvic | line 4 - Natural Spring Water  
Test Type Annual Collection  
Job Number A-00287047  
Project Number 10068015 (CLAA)  
Project Manager Caroline Misson

---

**Thank you for having your product tested by NSF International.**

Please contact your Project Manager if you have any questions or concerns pertaining to this report.

**Report Authorization** *Kerri S. LeVanseler*  
Kerri Levanseler - Director, Chemistry Laboratory

**Date** 09-FEB-2018



**General Information**

Standard: USFDA CFR Title 21 Part 165.110  
Lot Number: 15/01/2020 40758  
Product Description: line 4 - Natural Spring Water  
Trade Name: Volvic

Sample Id: **S-0001452213**  
Description: Volvic | line 4 - Natural Spring Water | 15/01/2020 40758  
Sampled Date: 01/22/2018  
Received Date: 01/17/2018

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Physical Quality</b>					
Alkalinity as CaCO3	5	63		mg/LCaCO3	
Color	5	ND		Color Unit	
Specific Conductance	10	220		umhos/cm	
Corrosivity	0	-1.94			
Hardness, Total	2	67		mg/LCaCO3	
Solids Total Dissolved	5	110		mg/L	
Turbidity	0.1	ND	5	NTU	Pass
pH	0.01	6.47			
Temperature	0	23		deg. C	
Bicarbonate	5	76		mg/L HCO3	
Odor, Threshold	1	3		TON	
<b>Disinfection Residuals/Disinfection By-Products</b>					
Bromate	5	ND	10	ug/L	Pass
Monochloramine	0.05	ND		mg/L	
Dichloramine	0.05	ND		mg/L	
Nitrogen trichloride	0.05	ND		mg/L	
Chloramine, Total	0.05	ND	4	mg/L	Pass
Chlorite	10	ND	1000	ug/L	Pass
Chlorine Dioxide	0.1	ND	0.8	mg/L	Pass
Monochloroacetic Acid	2	ND		ug/L	
Monobromoacetic Acid	1	ND		ug/L	
Dichloroacetic Acid	1	ND		ug/L	
Bromochloroacetic Acid	1	ND		ug/L	
Trichloroacetic Acid	1	ND		ug/L	
Dibromoacetic Acid	1	ND		ug/L	
Total Haloacetic Acid	1	ND	60	ug/L	Pass
Chlorine, Total Residual	0.05	ND	4	mg/L	Pass
<b>Radiologicals</b>					
Uranium	0.001	ND	0.03	mg/L	Pass
<b>Inorganic Chemicals</b>					
Aluminum	0.01	ND	0.2	mg/L	Pass
Antimony	0.0002	0.0006	0.006	mg/L	Pass
Arsenic	0.001	0.004	0.01	mg/L	Pass
* Asbestos in Water (Ref: EPA 100.2)-Bureau Veritas					
Chrysotile Fibers	0.2	ND		MFL	
Amphibole Fibers	0.2	ND		MFL	
Single Fiber Detection Limit	0.2	ND		MFL	
Barium	0.001	ND	2	mg/L	Pass
Beryllium	0.0002	ND	0.004	mg/L	Pass
Bromide	10	22		ug/L	



Sample Id: S-0001452213

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Inorganic Chemicals</b>					
Cadmium	0.0002	ND	0.005	mg/L	Pass
Calcium	0.02	13		mg/L	
Chloride	2	16		mg/L	
Chromium (includes Hexavalent Chromium)	0.001	ND	0.1	mg/L	Pass
Copper	0.001	ND	1	mg/L	Pass
Cyanide, Total	0.005	ND	0.2	mg/L	Pass
Fluoride	0.1	0.2	1.4	mg/L	Pass
Iron	0.02	ND		mg/L	
Lead	0.0005	ND	0.005	mg/L	Pass
Magnesium	0.02	8.7		mg/L	
Manganese	0.001	ND		mg/L	
Mercury	0.0002	ND	0.002	mg/L	Pass
Nickel	0.005	ND	0.1	mg/L	Pass
Nitrogen, Nitrate	0.02	1.7	10	mg/L N	Pass
Nitrogen, Nitrite	0.004	ND	1	mg/L N	Pass
Total Nitrate + Nitrite-Nitrogen	0.02	1.67	10	mg/L	Pass
Potassium	0.5	6.5		mg/L	
Selenium	0.001	ND	0.05	mg/L	Pass
Silver	0.001	ND	0.1	mg/L	Pass
Sodium	0.2	12		mg/L	
Sulfate as SO4	0.5	8.8	250	mg/L	Pass
MBAS, calc. as LAS Mol.Wt. 320	0.2	ND		mg/L	
Thallium	0.0002	ND	0.002	mg/L	Pass
Phenolics	0.001	ND	0.001	mg/L	Pass
Zinc	0.01	ND		mg/L	
<b>Organic Chemicals</b>					
Diquat (Ref: EPA 549.2)					
Diquat	0.4	ND	20	ug/L	Pass
Endothall (Ref: EPA 548.1) - (ug/L)					
Endothall	9	ND	100	ug/L	Pass
Glyphosate (Ref: EPA 547)					
Glyphosate	6	ND	700	ug/L	Pass
Perchlorate (Ref: EPA 314.0)					
Perchlorate	1	ND		ug/L	
2,3,7,8-TCDD (Ref: EPA 1613B)					
2,3,7,8-Tetrachlorodibenzo-p-dioxin	5	ND	30	pg/L	Pass
Carbamate Pesticides (Ref: 531.2)					
Aldicarb sulfoxide	0.5	ND		ug/L	
Aldicarb sulfone	0.5	ND		ug/L	
Oxamyl	0.5	ND	200	ug/L	Pass
Aldicarb	0.5	ND		ug/L	
Carbofuran	0.5	ND	40	ug/L	Pass
Methomyl	0.5	ND		ug/L	
Carbaryl	0.5	ND		ug/L	
3-Hydroxycarbofuran	0.5	ND		ug/L	
Herbicides (Ref: EPA 515.3)					
Dalapon	1	ND	200	ug/L	Pass
Dicamba	0.1	ND		ug/L	
2,4-D	0.1	ND	70	ug/L	Pass



Sample Id: S-0001452213

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Organic Chemicals</b>					
Pentachlorophenol	0.04	ND	1	ug/L	Pass
2,4,5-TP	0.2	ND	50	ug/L	Pass
Dinoseb	0.2	ND	7	ug/L	Pass
Picloram	0.1	ND	500	ug/L	Pass
Bentazon	0.2	ND		ug/L	
DCPA Acid Metabolites	0.2	ND		ug/L	
<b>Semivolatile Organic Compounds (Ref: EPA 525.2)</b>					
Hexachlorocyclopentadiene	0.1	ND	50	ug/L	Pass
EPTC	0.5	ND		ug/L	
Dimethylphthalate	2	ND		ug/L	
2,6-Dinitrotoluene	0.5	ND		ug/L	
2,4 Dinitrotoluene	0.5	ND		ug/L	
Molinate	0.1	ND		ug/L	
Diethylphthalate	2	ND		ug/L	
Propachlor	0.1	ND		ug/L	
Hexachlorobenzene	0.1	ND	1	ug/L	Pass
Simazine	0.07	ND	4	ug/L	Pass
Atrazine	0.1	ND	3	ug/L	Pass
Lindane	0.02	ND	0.2	ug/L	Pass
Terbacil	0.5	ND		ug/L	
Metribuzin	0.1	ND		ug/L	
Alachlor	0.1	ND	2	ug/L	Pass
Heptachlor	0.04	ND	0.4	ug/L	Pass
Di-n-butylphthalate	2	ND		ug/L	
Metolachlor	0.1	ND		ug/L	
Aldrin	0.1	ND		ug/L	
Heptachlor Epoxide	0.02	ND	0.2	ug/L	Pass
Butachlor	0.2	ND		ug/L	
p,p'-DDE (4,4'-DDE)	0.5	ND		ug/L	
Dieldrin	0.5	ND		ug/L	
Endrin	0.1	ND	2	ug/L	Pass
Butylbenzylphthalate	2	ND		ug/L	
bis(2-Ethylhexyl)adipate	0.6	ND	400	ug/L	Pass
Methoxychlor	0.1	ND	40	ug/L	Pass
bis(2-Ethylhexyl)phthalate (DEHP)	0.6	ND	6	ug/L	Pass
Benzo(a)Pyrene	0.02	ND	0.2	ug/L	Pass
<b>Volatiles: EDB and DBCP (Ref: EPA 504.1)</b>					
Ethylene Dibromide (EDB)	0.01	ND	0.05	ug/L	Pass
1,2-Dibromo-3-Chloropropane (DBCP)	0.01	ND	0.2	ug/L	Pass
<b>Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)</b>					
Dichlorodifluoromethane	0.5	ND		ug/L	
Chloromethane	0.5	ND		ug/L	
Vinyl Chloride	0.5	ND	2	ug/L	Pass
Bromomethane	0.5	ND		ug/L	
Chloroethane	0.5	ND		ug/L	
Trichlorofluoromethane	0.5	ND		ug/L	
Trichlorotrifluoroethane	0.5	ND		ug/L	
Methylene Chloride	0.5	ND	5	ug/L	Pass
1,1-Dichloroethylene	0.5	ND	7	ug/L	Pass



Sample Id: S-0001452213

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Organic Chemicals</b>					
trans-1,2-Dichloroethylene	0.5	ND	100	ug/L	Pass
1,1-Dichloroethane	0.5	ND		ug/L	
2,2-Dichloropropane	0.5	ND		ug/L	
cis-1,2-Dichloroethylene	0.5	ND	70	ug/L	Pass
Chloroform	0.5	ND		ug/L	
Bromochloromethane	0.5	ND		ug/L	
1,1,1-Trichloroethane	0.5	ND	200	ug/L	Pass
1,1-Dichloropropene	0.5	ND		ug/L	
Carbon Tetrachloride	0.5	ND	5	ug/L	Pass
1,2-Dichloroethane	0.5	ND	5	ug/L	Pass
Trichloroethylene	0.5	ND	5	ug/L	Pass
1,2-Dichloropropane	0.5	ND	5	ug/L	Pass
Bromodichloromethane	0.5	ND		ug/L	
Dibromomethane	0.5	ND		ug/L	
cis-1,3-Dichloropropene	0.5	ND		ug/L	
trans-1,3-Dichloropropene	0.5	ND		ug/L	
1,1,2-Trichloroethane	0.5	ND	5	ug/L	Pass
1,3-Dichloropropane	0.5	ND		ug/L	
Tetrachloroethylene	0.5	ND	5	ug/L	Pass
Chlorodibromomethane	0.5	ND		ug/L	
Chlorobenzene	0.5	ND	100	ug/L	Pass
1,1,1,2-Tetrachloroethane	0.5	ND		ug/L	
Bromoform	0.5	ND		ug/L	
1,1,1,2,2-Tetrachloroethane	0.5	ND		ug/L	
1,2,3-Trichloropropane	0.5	ND		ug/L	
1,3-Dichlorobenzene	0.5	ND		ug/L	
1,4-Dichlorobenzene	0.5	ND	75	ug/L	Pass
1,2-Dichlorobenzene	0.5	ND	600	ug/L	Pass
Methyl-tert-Butyl Ether (MTBE)	0.5	ND		ug/L	
Methyl Ethyl Ketone	5	ND		ug/L	
Toluene	0.5	ND	1000	ug/L	Pass
Ethyl Benzene	0.5	ND	700	ug/L	Pass
m+p-Xylenes	1	ND		ug/L	
o-Xylene	0.5	ND		ug/L	
Styrene	0.5	ND	100	ug/L	Pass
Isopropylbenzene (Cumene)	0.5	ND		ug/L	
n-Propylbenzene	0.5	ND		ug/L	
Bromobenzene	0.5	ND		ug/L	
2-Chlorotoluene	0.5	ND		ug/L	
4-Chlorotoluene	0.5	ND		ug/L	
1,3,5-Trimethylbenzene	0.5	ND		ug/L	
tert-Butylbenzene	0.5	ND		ug/L	
1,2,4-Trimethylbenzene	0.5	ND		ug/L	
sec-Butylbenzene	0.5	ND		ug/L	
p-Isopropyltoluene (Cymene)	0.5	ND		ug/L	
1,2,3-Trimethylbenzene	0.5	ND		ug/L	
n-Butylbenzene	0.5	ND		ug/L	
1,2,4-Trichlorobenzene	0.5	ND	70	ug/L	Pass
Hexachlorobutadiene	0.5	ND		ug/L	





Sample Id: S-0001452213

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Organic Chemicals</b>					
1,2,3-Trichlorobenzene	0.5	ND		ug/L	
Naphthalene	0.5	ND		ug/L	
Benzene	0.5	ND	5	ug/L	Pass
Total Trihalomethanes	0.5	ND	80	ug/L	Pass
Total Xylenes	0.5	ND	10000	ug/L	Pass
<b>Chlorinated Pesticides and Organohalides by EPA 508.1</b>					
Toxaphene	0.1	ND	3	ug/L	Pass
Chlordane	0.1	ND	2	ug/L	Pass
PCB 1016	0.08	ND	0.5	ug/L	Pass
PCB 1221	0.1	ND	0.5	ug/L	Pass
PCB 1232	0.1	ND	0.5	ug/L	Pass
PCB 1242	0.1	ND	0.5	ug/L	Pass
PCB 1248	0.1	ND	0.5	ug/L	Pass
PCB 1254	0.1	ND	0.5	ug/L	Pass
PCB 1260	0.1	ND	0.5	ug/L	Pass
Endrin	0.01	ND	2	ug/L	Pass
Total PCBs	0.1	ND	0.5	ug/L	Pass



<<Additional Information>>

Sample Id: S-0001452213

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
<b>Physical Quality</b>			
Alkalinity (Ref: SM 2320-B)	22-JAN-2018		
Color (Ref: SM 2120-B)	22-JAN-2018	14:10	
Specific Conductance (Ref: EPA 120.1)	22-JAN-2018		
Corrosivity (Ref: SM 2330-B)			
Hardness, Total (Ref: EPA 200.7)			
Solids, Total Dissolved (Ref: SM 2540-C)	22-JAN-2018		
Turbidity (Ref: EPA 180.1)	22-JAN-2018	13:50:00	
pH (Ref: SM4500-HB)	22-JAN-2018	13:47:54	
Bicarbonate (Ref: SM 2320-B)			
Odor, Threshold Number ( Ref. Standard Methods 2150 B)	22-JAN-2018		
<b>Test Notes</b>			
22Jan2018 Prescreen performed by E. Malinowski. Panelists described the odor as "chlorinous", "fruity", and "musty". CLM			
<b>Disinfection Residuals/Disinfection By-Products</b>			
Bromate (Ref: EPA 300.1)	25-JAN-2018		
Chloramines (Ref: SM 4500-Cl-G)	22-JAN-2018	10:42:00	
Chlorite (Ref: EPA 300.1)	25-JAN-2018		
Chlorine Dioxide (Ref: SM 4500-ClO2-D)	22-JAN-2018	10:42:00	
Haloacetic Acids (Ref: EPA 552.2)	26-JAN-2018		25-JAN-2018
Chlorine, Total Residual (ref. SM 4500CL-G)	22-JAN-2018	10:42:00	
<b>Radiologicals</b>			
Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
<b>Inorganic Chemicals</b>			
Aluminum (Ref: EPA 200.8)	25-JAN-2018		
Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
# * Asbestos in Water (Ref: EPA 100.2)-Bureau Veritas	28-JAN-2018	13:25	
Barium in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
Bromide (Ref: EPA 300.1)	25-JAN-2018		
Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)	25-JAN-2018		
Chloride (Ref: EPA 300.0)	22-JAN-2018		
Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
Copper in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
Cyanide, Total (Ref: Lachat Instruments QuikChem Method 10-204-00-1-			



<<Additional Information>>

Sample Id: S-0001452213

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
<b>Inorganic Chemicals</b>			
X)	25-JAN-2018		
Fluoride (Ref: SM 4500-F-C)	26-JAN-2018		
Iron in Drinking Water by ICPAES (Ref: EPA 200.7)	25-JAN-2018		
Lead in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)	25-JAN-2018		
Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
Nitrogen, Nitrate (Ref: EPA 300.0)	25-JAN-2018	10:25:19	
Nitrogen, Nitrite (Ref: EPA 300.0)	22-JAN-2018	16:37:58	
Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)			
Potassium by ICPAES (Ref: EPA 200.7)	25-JAN-2018		
Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
Silver in Drinking Water by ICPMS (Ref: EPA 200.8)	22-JAN-2018		
Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)	25-JAN-2018		
Sulfate as SO4 (Ref: EPA 300.0)	22-JAN-2018		
Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)	22-JAN-2018	13:58:00	
Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
* Phenolics, Total Recoverable (Based on EPA 420.2)	25-JAN-2018		
Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2018		
<b>Organic Chemicals</b>			
Diquat (Ref: EPA 549.2)	29-JAN-2018		28-JAN-2018
Endothall (Ref: EPA 548.1) - (ug/L)	26-JAN-2018		26-JAN-2018
Glyphosate (Ref: EPA 547)	22-JAN-2018		
Perchlorate (Ref: EPA 314.0)	30-JAN-2018		
2,3,7,8-TCDD (Ref: EPA 1613B)	26-JAN-2018		24-JAN-2018
Carbamate Pesticides (Ref: 531.2)	25-JAN-2018		
Herbicides (Ref: EPA 515.3)	29-JAN-2018		26-JAN-2018
Semivolatile Organic Compounds (Ref: EPA 525.2)	24-JAN-2018		24-JAN-2018
Volatiles: EDB and DBCP (Ref: EPA 504.1)	23-JAN-2018		
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)	31-JAN-2018		
Chlorinated Pesticides and Organohalides by EPA 508.1	30-JAN-2018		



**Testing Laboratories:**

Flag	Id	Address
All work performed at: (Unless otherwise specified)	NSF_AA	NSF International 789 N. Dixboro Road Ann Arbor MI 48105
#	BVNA	Bureau Veritas North America 3380 Chastain Meadows Pkwy 300 Kennesaw, GA 30144 Arizona License #AZ0675 NY Lic. # 11645 MI Lic. # 9955

**References to Testing Procedures:**

NSF Reference	Parameter / Test Description
C1188	Odor, Threshold Number ( Ref. Standard Methods 2150 B)
C2015	2,3,7,8-TCDD (Ref: EPA 1613B)
C3012	* Asbestos in Water (Ref: EPA 100.2)-Bureau Veritas
C3013	Chloride (Ref: EPA 300.0)
C3014	Bromide (Ref: EPA 300.1)
C3015	Bromate (Ref: EPA 300.1)
C3016	Nitrogen, Nitrate (Ref: EPA 300.0)
C3017	Nitrogen, Nitrite (Ref: EPA 300.0)
C3018	Sulfate as SO4 (Ref: EPA 300.0)
C3019	Cyanide, Total (Ref: Lachat Instruments QuikChem Method 10-204-00-1-X)
C3021	* Phenolics, Total Recoverable (Based on EPA 420.2)
C3025	Chlorite (Ref: EPA 300.1)
C3033	Aluminum (Ref: EPA 200.8)
C3036	Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)
C3039	Barium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3042	Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3044	Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3047	Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3053	Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3059	Copper in Drinking Water by ICPMS (Ref: EPA 200.8)
C3064	Iron in Drinking Water by ICPAES (Ref: EPA 200.7)
C3072	Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)
C3079	Potassium by ICPAES (Ref: EPA 200.7)
C3085	Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3086	Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)
C3091	Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3094	Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)
C3101	Lead in Drinking Water by ICPMS (Ref: EPA 200.8)
C3114	Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)
C3116	Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3128	Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3136	Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)
C3144	Solids, Total Dissolved (Ref: SM 2540-C)
C3145	Turbidity (Ref: EPA 180.1)
C3155	Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)
C3157	Color (Ref: SM 2120-B)
C3158	Specific Conductance (Ref: EPA 120.1)
C3159	pH (Ref: SM4500-HB)
C3161	Hardness, Total (Ref: EPA 200.7)
C3166	Bicarbonate (Ref: SM 2320-B)
C3168	Chlorine Dioxide (Ref: SM 4500-CIO2-D)



**References to Testing Procedures: ( Cont'd )**

<b>NSF Reference</b>	<b>Parameter / Test Description</b>
C3169	Chloramines (Ref: SM 4500-Cl-G)
C3170	Fluoride (Ref: SM 4500-F-C)
C3174	Alkalinity (Ref: SM 2320-B)
C3188	Silver in Drinking Water by ICPMS (Ref: EPA 200.8)
C3210	Corrosivity (Ref: SM 2330-B)
C3342	Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)
C3393	Chlorine, Total Residual (ref. SM 4500CL-G)
C4076	Carbamate Pesticides (Ref: 531.2)
C4145	Diquat (Ref: EPA 549.2)
C4154	Endothall (Ref. EPA 548.1) - (ug/L)
C4193	Glyphosate (Ref: EPA 547)
C4198	Halacetic Acids (Ref: EPA 552.2)
C4202	Herbicides (Ref: EPA 515.3)
C4343	Semivolatile Organic Compounds (Ref: EPA 525.2)
C4411	Volatiles: EDB and DBCP (Ref: EPA 504.1)
C4496	Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)
C4497	Perchlorate (Ref: EPA 314.0)
C4661	Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)
C4669	Chlorinated Pesticides and Organohalides by EPA 508.1

**Certifications:**

Arizona ( # AZ0655 )	California ( # 03214 CA )	Connecticut ( # PH-0625 )
Florida ( # E-87752 FL )	Hawaii	Indiana
Maryland ( # 201 )	Michigan ( # 0048 )	North Carolina ( # 26701 )
New Jersey ( # MI770 )	Nevada ( # MI000302010A )	New York ( # 11206 )
Pennsylvania ( # 68-00312 )	South Carolina ( # 81005 )	Virginia ( # 00045 )
Vermont ( # VT 11206 )		

Test descriptions preceded by an asterisk "\*" indicate that testing has been performed per NSF International requirements but is not within its scope of accreditation.

The reported result for Odor, Phenolics, Potassium, Molybdenum, Silica, Total Phosphorus, Specific Conductance, Radon, Sr-89/90 and Total Residual Chlorine cannot be used for compliance purposes within the State of Arizona.

The reported results for Asbestos, Phenolics, pH, Chlorine Dioxide, Chloramines and Total Residual Chlorine are not covered by New York State certification.

**Notes:**

- 1) Bottled water sold in the United States shall not contain Fluoride in excess of the levels published by the USFDA in 21 CFR Part 165.110. These levels are based on the annual average of maximum daily air temperatures at the location where the bottled water is sold at retail. Please refer to the most current edition of the regulation to determine the Fluoride maximum level that pertains to your product.
- 2) A blank on the FDA SOQ column indicates that no maximum level has been established by the FDA for that contaminant.
- 3) An ND result means that the contaminant was not detected at or above the reporting limit.
- 4) Product not evaluated for Total Dissolved Solids against the minimum FDA SOQ for the labeling of the product as Natural Mineral Water. Company is responsible for compliance with applicable regulatory requirements applicable to conducting commerce.

For a list of NSF International Method Detection Limits refer to [http://www.nsf.org/media/enevs/documents/minimum\\_detection\\_level\\_spreadsheet.pdf](http://www.nsf.org/media/enevs/documents/minimum_detection_level_spreadsheet.pdf).